



INNOVATION
BEYOND
PERFECTION

ELEPHANT



Discount Structure :

1.% Discount on payment within in 30 days of date of invoice.
 2.% Discount on payment against material or within in 7 days of date of invoice.
 3.% Discount on payment against P.I (Proforma Invoice).
- Minimum Order Quantity 50,000/- for any Discount Structure.

Note :

- Com all not be responsible for any breakage of material in transportation.
- Company will only responsible for manufacturing defect (Within 7 Days of Sale) of any product, Company will not give any guarantee warranty of any product.
- Company shell not be responsible for any replacement of product, However if there is any manufacturing defect in our new product then company will liable to provide spare parts on FOC basis.
- Price list may change without prior notice.
- List price and M.R.P. on product may be differ.
- Bilty charge 100/-



Exclusive Range of Spray Guns...

Conventional
Spray Gun

Professional
Spray Gun

H 827 &
Texture Gun

Automatic Gun
& Paint Tank

Airless &
Putty Sprayer

Pen Gun &
Mini Air Compressor

Electric,
Protective &
Lubricative Gun

Air Blow Gun,
Gas Valve &
Ball Valve

Foam Gun &
Pressure Cleaning Gun

Pressure
Cleaning Gun

Other Spray
Gun

Spray Gun Cup &
Accessories



PS-01



PS-02



PS-03



PR-01



PR-02



H-827



PT-01



PM-01



PL-02

Note : 50/- Extra On Net Cost for Nozzle Size 2.0 mm and 2.5 mm.

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
PS-01	20-50 psi	600 ml	1.3, 1.5, 1.7, 2.0, 2.5	Gravity	1/4"	710 gm	20 Pcs.
PS-02	20-40 psi	100 / 300 ml	1.2	Gravity	1/4"	410 gm	30 Pcs.
PS-03	20-40 psi	100 ml	0.9	Gravity	1/4"	325 gm	30 Pcs.
PR-01	30-60 psi	600 ml	1.4, 1.7, 2.0, 2.5	Gravity	1/4"	650 gm	20 Pcs.
PR-02	30-50 psi	300 ml	1.2	Gravity	1/4"	410 gm	30 Pcs.
H-827	20-40 psi	600 ml	1.4	Gravity	1/4"	650 gm	20 Pcs.
PT-01	50-60 psi	600 ml	1.3	Gravity	1/4"	905 gm	10 Pcs.
PM-01	50-65 psi	600 ml	1.5	Gravity	1/4"	735 gm	10 Pcs.
PL-02	50-60 psi	600 ml	1.3	Gravity	1/4"	910 gm	1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



PF-01




PF-02



PJ-01

ITALGO



SHINE-2

ITALGO



GLOSS-2



W-71



W-77



W-101



SF-12

Note : 100/- Extra On Net Cost for Nozzle Size above 1.7 mm.

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
PF-01	30-40 psi	600 ml	1.3, 1.5, 1.7, 2.0, 2.5	Gravity	1/4"	680 gm	10 Pcs.
PF-02	20-30 psi	300 ml	0.5, 0.8, 1.0, 1.2	Gravity	1/4"	460 gm	10 Pcs.
PJ-01	30-40 psi	600 ml	1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 2.0, 2.5, 3.0	Gravity	1/4"	660 gm	10 Pcs.
SHINE-2	50-60 psi	600 ml	1.4	Gravity	1/4"	855 gm	1 Pc.
GLOSS-2	50-65 psi	600 ml	1.3	Gravity	1/4"	835 gm	1 Pc.
W-71	40-50 psi	-	1.0, 1.3, 1.5, 1.8	Pressure	1/4"	460 gm	5 Pcs.
W-77	40-50 psi	-	1.5, 2.0, 2.5	Pressure	1/4"	540 gm	5 Pcs.
W-101	30-40 psi	-	0.8, 1.0, 1.3, 1.5, 1.8	Pressure	1/4"	350 gm	5 Pcs.
SF-12	40-60 psi	800 ml	1.7	Suction	1/4"	925 gm	10 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

Aurita



H-827

POWER



H-827

SUPER AUTO



H-827

POWER



H-2000

POWER



S-990

POWER



W-71 LIGHT



TG-16

POWER



TG-17



TG-22

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
AURITA	20-40 psi	600 ml	1.3	Gravity	1/4"	640 gm	20 Pcs.
POWER	20-40 psi	600 ml	1.3	Gravity	1/4"	560 gm	20 Pcs.
SUPER AUTO	20-40 psi	600 ml	1.4	Gravity	1/4"	520 gm	20 Pcs.
H-2000	20-40 psi	100 ml	0.8	Gravity	1/4"	260 gm	20 Pcs.
S-990	40-50 psi	600 ml	1.5	Gravity	1/4"	430 gm	20 Pcs.
W-71 LIGHT	40-50 psi	600 ml	1.3, 1.5, 1.7, 2.0	Suction	1/4"	460 gm	20 Pcs.
TG- 16	80-100 psi	2 Ltr.	-	Gravity	5/16"	905 gm	9 Pcs.
TG- 17	80-100 psi	2 Ltr.	-	Gravity	1/4"	735 gm	12 Pcs.
TG-22	80-100 psi	3.5 Ltr.	4.0, 6.0, 8.0	Gravity	1/4"	480 gm	6 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available

VOYLET



H-827

VOYLET



F-2

VOYLET



K-3

VOYLET



HOPPER GUN

VOYLET



F-75

VOYLET



W-71 S

AIR GUNSA



AIR GUNSA

POWER



R-2



NG-24

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
H-827	20-40 psi	600 ml	1.3, 1.4, 1.5, 1.7, 2.0, 2.5	Gravity	1/4"	640 gm	10 Pcs.
F-2	30-50 psi	125 ml	0.5	Gravity	1/4"	560 gm	10 Pcs.
K-3	20-40 psi	600 ml	0.5	Gravity	1/4"	520 gm	10 Pcs.
HOPPER GUN	30-50 psi	6000 ml	4.0, 6.0, 8.0	Gravity	1/4"	1.920 kg	6 Pcs.
F-75	40-50 psi	600 ml	1.5	Gravity	1/4"	500 gm	10 Pcs.
W-71 S	40-50 psi	600 ml	1.5	Suction	1/4"	500 gm	10 Pcs.
AIR GUNSA	40-50 psi	600 ml	1.3	Gravity	1/4"	517 gm	1 Pc.
R-2	30-40 psi	200 ml	1.0	Gravity	1/4"	220 gm	10 Pcs.
NG-24	40-80 psi	1000 ml	-	Suction	1/4"	780 gm	10 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



WA-101



WA-200



ST-6



DN-18

Prona



MRS-F
RELEASE AGENT



PT-02



PTA-10 / 20 / 60
WITH AGITATOR



PT-10 / 20
MANUAL



PT-08

Model No.	Operating Pressure	Nozzle Size (mm)	Feed	Air Inlet	Weight
WA-101	40-50 psi	0.8, 1.0, 1.2, 1.3, 1.5, 1.8,	Pressure	1/4"	280 gm
WA-200	40-50 psi	1.3, 1.5, 1.8, 2.0, 2.5	Pressure	1/4"	310 gm
ST-6	40-50 psi	0.5, 1.0, 1.3, 2.0	Pressure	6 mm	270 gm
DN-18	30-50 psi	1.0	Pressure	1/4"	400 gm
MRS-F	20-30 psi	0.3, 0.5	Pressure	4 mm	250 gm
Model No.	Capacity	Working Pressure (bar)	Paint Output	Weight	
PT-02	2 Ltr.	3.5-4	1/4"	1.5 Kg	
PTA-10/20/60	10/20/60 Ltr.	1.4-2.1	1/4"	14.85 / 21.95 / 40.40 Kg	
PT-10/20	10/20 Ltr.	1.4-2.0	1/4"	13.65 / 21.35 Kg	
PT-08	10 Ltr.	1.4-2.0	1/4"	12.30 Kg	



Paint

P-150



Paint

P-4500



Paint

AS-1200

RONGPENG



Paint

R-450



Paint

AS-2800



Paint / Putty

AS-4000



PG-01

RONGPENG



Tip Size : 517

818-C



818-L

Model No.	Voltage	Motor Power	Max. Flow Rate	Viscosity (Pa.s)	Max. Pressure	Weight
P-150	220 V	650 W	1.1 L/min	2.5-5.0	2900 psi	6.5 Kg.
P-4500	230 V	900 W	1.8 L/min	2.5-5.0	3200 psi	15 Kg.
AS-1200	220 V	1000 W	2.0 L/min	2.5-5.0	2900 psi	14.5 Kg.
R-450	220 V	900 W	2.0 L/min	2.5-5.0	3300 psi	15.5 Kg.
AS-2800	220 V	2500 W	3.2 L/min	10-15	2900 psi	18 Kg.
AS-4000	220 V	4000 W	10 L/min	20-100	2900 psi	60 Kg.

Model No.	Operating Pressure	Feed	Air Inlet	Weight	Std. Packing
PG-01	7200 psi	Pressure	1/4"	777 gm	1 Pc.
818-C	500 psi	Pressure	1/4"	560 gm	1 Pc.
818-L	3600 psi	Pressure	1/4"	566 gm	1 Pc.



AB-17



AB-19




AB-21



AS-182



AS-186 (3 Ltr.)



AC-02 / AC-03
AIR CONTROLLER



3 Meter
PGH-01



Nut Nipple



1/4" (Male)

CONNECTOR



0.3 mm



Needle | Nozzle

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
AB-17	10-30 psi	2 ml	0.3	Gravity	6 mm	70 gm	30 Pcs.
AB-19	10-30 psi	7 ml	0.3	Gravity	6 mm	100 gm	30 Pcs.
AB-21	10-30 psi	40 75 ml	0.3	Gravity	6 mm	155 gm	10 Pcs.
Model	Voltage	Power	Speed	Air Flow Capacity	Length of Cable	Noise	Weight
AS-182	220 V	1/6 HP	1450-1700	23 L/min	2 Mtr.	47 db	3.2 Kg.
AS-186	220 V	1/6 HP	1450-1700	23 L/min	2 Mtr.	47 db	5.0 Kg.



EGH-10



EGH-11



FG-05
FOUNDRY



UBC-22
UNDER BODY COATING

POWER



UBC-23
UNDER BODY COATING



PDC-01
PRESSURE DIE CAST



OSG-07
OIL SPRAY



SBG-09
SAND BLASTING



PSM-02
PLASTER SMOOTHING MACHINE

Model No.	Voltage	Cup Capacity	Nozzle Size (mm)	Feed	Power	Cable Length	Weight	Std. Packing
EGH-10	220V-240 V	1200 ml	2.0	Suction	550 W	2.0 Mtr.	1.3 Kg	6 Pcs.
EGH-11	230V-240 V	1500 ml	1.8	Suction	650 W	2.0 Mtr.	1.8 Kg	6 Pcs.
Model No.	Operating Pressure	Cup Capacity	Feed	Air Inlet		Weight	Std. Packing	
FG-05	40-80 psi	-	Pressure	8 mm		320 gm	10 Pcs.	
UBC-22	80-90 psi	-	Suction	1/4"		335 gm	10 Pcs.	
UBC-23	80-150 psi	-	Suction	1/4"		300 gm	20 Pcs.	
PDC-01	40-80 psi	-	Pressure	8 mm		510 gm	5 Pcs.	
OSG-07	40-80 psi	600 ml	Suction	1/4"		630 gm	16 Pcs.	
SBG-09	50-100 psi	600 ml	Gravity	1/4"		530 gm	21 Pcs.	
Model No.	Voltage	Power	Free Speed	Thickness		Weight	Std. Packing	
PSM-02	230V-50Hz	750 W	280-2800 R/min	48 mm		6 Kg	10 Pcs.	



ABG-04



Brass Thread

ABG-05 P



Brass Thread

ABG-06



ABG-07



Brass Thread

AG-ASB




DG-10+1



1/4", 3/8", 1/2", 3/4", 1", 1.5", 2"

LH-01



1/2"

1/2"

GV-M | GV-F



1/2"

BF-01

Note : Ball Valve available in all sizes, Price against order.

Model No.	Max. Pressure	Air Inlet	Weight	Std. Packing
ABG-04	8-10 Bar	1/4"	220 gm	50 Pcs.
ABG-05 P	8-10 Bar	1/4"	140 gm	50 Pcs.
ABG-06	8-10 Bar	1/4"	90 gm	100 Pcs.
ABG-07	8-10 Bar	1/4"	90 gm	100 Pcs.
AG-ASB	8-10 Bar	1/4"	55 gm	100 Pcs.
DG-10+1	8-10 Bar	1/4"	125 gm	100 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



Comp. Operated

FG-21



Washer Operated

FG-23



Washer Operated

FG-27



Washer Operated

FG-26

POWER



Washer Operated

FG-01

POWER



Washer Operated

FG-02



PCG-06 A T-TYPE



PCG-06 B T-TYPE



PCG-10 S.S I-TYPE

Model No.	Connection	Air Pressure	Weight	Std. Packing	
FG-21	1/4"	30-70 psi	640 gm	14 Pcs.	
FG-23	Connector Type	50-100 psi	460 gm	30 Pcs.	
FG-27	Connector Type	50-100 psi	400 gm	20 Pcs.	
FG-26	Push Type	50-100 bar	60 gm	50 Pcs.	
FG-01	Connector Type	75-90 psi	250 gm	30 Pcs.	
FG-02	Connector Type	75-90 psi	325 gm	30 Pcs.	
Model No.	Operating Pressure	Nozzle Size (mm)	Body Material	Weight	Std. Packing
PCG-06 A	50-100 Bar	2.0	Aluminium	530 gm	20 Pcs.
PCG-06 B	50-100 Bar	2.0	Brass	770 gm	20 Pcs.
PCG-10 S.S.	50-100 Bar	2.2	Stainless Steel	520 gm	50 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

POWER



CWG-01

POWER



CWG-02

POWER



CWG-03



3/8"

PCG-13 TM



14mm / 22mm

PCG-11 T



PCG-12 TL



PCG-15



2.0, 2.5, 3.0 MM

SWN-08

POWER



Comp. Operated

ACWG - 10mm

Model No.	Max. Pressure	Air Inlet	Weight	Std. Packing
CWG-01	30-70 psi	3/8"	420 gm	20 Pcs.
CWG-02	30-70 psi	3/8"	520 gm	20 Pcs.
CWG-03	30-70 psi	3/8"	420 gm	20 Pcs.
Model No.	Operating Pressure		Weight	Std. Packing
PCG-13 TM	220 Bar		550 gm	10 Pcs.
PCG-11 T	220 Bar		520 gm	10 Pcs.
PCG-12 TL	220 Bar		820 gm	10 Pcs.
PCG-15	220 Bar		260 gm	10 Pcs.
SWN-08	50-100 psi		110 gm	50 Pcs.
ACWG	30-70 psi		350 gm	10 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available

OTHER BRAND

SPRAY GUN

1 Pint
1/2 Pint



ONIDA



NOVA-1



NOVA-1/2



POWER -1



POWER -1/2



POWER OIL GUN



POWER-1/4



USA INDIA-1/4



J.K. INDIA-1/4



SUPER SPRAY



AC-30



AC-60



600 ML MALE



600 ML FEMALE



600 ML S.S.



600 ML M.S.



300 ML S.S.



300 ML M.S.



600 ML SUCTION



300 ML MALE



100 ML MALE



100 ML S.S.




100 ML ALU.



MF 80 - FILTER



ACWG-01



ACWG-02



209, 210, 211, 311, 313, 315, 413, 415, 419, 513, 515, 517, 519, 521, 619, 621

818-C TIP



211, 311, 315, 413, 415, 419, 513, 517, 519, 521, 619, 621

818-L TIP



Length: 15 Mtr.
Connection Size: 1/4\"/>

ASH-01
AIRLESS SPRAY HOSE



ATG-01
AIRLESS TIP GUARD



AE-01
AIRLESS EXTENSION



AGF-01
AIRLESS GUN FILTER

Exclusive Range of Garage Equipment...

Quick Release
Coupler &
Brass Fitting

Pneumatic
Fittings

Air Inflator

Air
Compressor

Tyre Opening
Tools

Impact Wrench

Labour Machine,
Air Inflator

Trolley,
Gear Box,
Balloon Jack

Sockets

Pressure Washer
& Accessories

Vacuum Cleaner,
Foam Tank,
Palm Sander
& FRL

Welding Cables &
High Pressure Hose



MODEL	PNEUMATIC COUPLING - REGULAR QUALITY MADE OF STEEL							
SIZE	PH	PP	PM	PF	SH	SP	SM	SF
1/4" /20								
3/8" /30								
1/2" /40								



MODEL	PNEUMATIC COUPLING (HIGH QUALITY - JAPANESE STANDARD) STEEL BODY - ONE TOUCH							
SIZE	JPH	JPP	JPM	JPF	JSH	JSP	JSM	JSF
1/4" /20								
3/8" /30								
1/2" /40								

1 HEX SOCKET

Code No.	Size	Rate/Pc.
HS 001	1/8	1/8
HS 002	1/4	1/8
HS 003	1/4	1/4
HS 004	1/4	3/8
HS 005	1/4	1/2
HS 006	3/8	3/8
HS 007	3/8	1/2
HS 008	1/2	1/2
HS 009	3/4	3/8
HS 010	3/4	1/2
HS 011	3/4	3/4
HS 012	1	3/4
HS 013	1	1



2 OLIVE UNION ONLY (BSP)

Code No.	Tube ID	Rate/Pc.
OUO 001	1/8	1/8
OUO 002	3/16	3/16
OUO 003	1/4	1/4
OUO 004	5/16	5/16
OUO 005	3/8	3/8
OUO 006	1/2	1/2
OUO 007	5/8	5/8
OUO 008	3/4	3/4
OUO 009	1"	1"



3 COMPRESSION ADAPTOR MALE X FEMALE

Code No.	Male(Bsp)	Female(Npt)	Rate
CAMF 001	1/8	1/4	
CAMF 002	1/4	1/4	
CAMF 003	1/4	3/8	
CAMF 004	3/8	1/4	



4 HOSE NIPPLE MALE

(BSP X HOSE)

Code No.	Size	Rate/Pc.
HNM 001	1/8	1/8
HNM 002	1/8	1/4
HNM 003	1/8	5/16
HNM 004	1/8	3/8
HNM 005	1/8	1/2
HNM 006	1/4	1/8
HNM 007	1/4	1/4
HNM 008	1/4	5/16
HNM 009	1/4	3/8
HNM 010	1/4	1/2
HNM 011	3/8	1/4
HNM 012	3/8	5/16
HNM 013	3/8	3/8
HNM 014	3/8	1/2
HNM 015	1/2	1/4
HNM 016	1/2	5/16
HNM 017	1/2	3/8
HNM 018	1/2	1/2
HNM 019	1/2	5/8
HNM 020	1/2	3/4



5 HOSE NIPPLE FEMALE

(FEMALE X HOSE)

Code No.	Size	Rate/Pc.
HNF 001	1/8	1/8
HNF 002	1/8	1/4
HNF 003	1/8	5/16
HNF 004	1/8	3/8
HNF 005	1/4	1/8
HNF 006	1/4	1/4
HNF 007	1/4	5/16
HNF 008	1/4	3/8
HNF 009	1/4	1/2
HNF 010	3/8	1/4
HNF 011	3/8	5/16
HNF 012	3/8	3/8
HNF 013	3/8	1/2
HNF 014	1/2	1/4
HNF 015	1/2	5/16
HNF 016	1/2	3/8
HNF 017	1/2	1/2



6 STRAIGHT JOINT NIPPLE (HOSE)

Code No.	Size	Rate/Pc.
SJN 001	3/16	
SJN 002	1/4	
SJN 003	5/16	
SJN 004	3/8	
SJN 005	1/2	
SJN 006	3/4	



7 TEE JOINT NIPPLE (HOSE)

Code No.	Tube ID	Rate/Pc.
TJN 001	3/16	
TJN 002	1/4	
TJN 003	5/16	
TJN 004	3/8	
TJN 005	1/2	
TJN 006	5/8	
TJN 007	3/4	
TJN 008	1	



8 Y JOINT NIPPLE (HOSE)

Code No.	Size	Rate/Pc.
YJN 001	1/4	
YJN 002	5/16	
YJN 003	3/8	
YJN 004	1/2	



9 CROSS JOINT NIPPLE (HOSE)

Code No.	Size	Rate/Pc.
CJN 001	1/4	
CJN 002	5/16	
CJN 003	3/8	
CJN 004	1/2	



10 HEX PLUG (BSP)

Code No.	Size	Rate/Pc.
HHP 001	1/8	
HHP 002	1/4	
HHP 003	3/8	
HHP 004	1/2	
HHP 005	3/4	
HHP 006	1	



11 OLIVE ELBOW MALE (BSP)

Code No.	Tube ID	Rate/Pc.
OEM 001	1/8	
OEM 002	3/16	
OEM 003	1/4	
OEM 004	5/16	
OEM 005	3/8	
OEM 006	1/2	
OEM 007	5/8	
OEM 008	3/4	
OEM 009	1"	



15 OLIVE TEE MALE (BSP)

Code No.	Tube ID	Rate/Pc.
OTM 001	1/8	
OTM 002	3/8	
OTM 003	1/4	
OTM 004	5/16	
OTM 005	3/8	
OTM 006	1/2	
OTM 007	5/8	
OTM 008	3/4	
OTM 009	1"	



12 UNION ELBOW FEMALE (BSP)

Code No.	Size	Rate/Pc.
UEF 001	1/8	
UEF 002	1/4	
UEF 003	3/8	
UEF 004	1/2	
UEF 005	3/4	
UEF 006	1	



16 UNION TEE FEMALE (BSP)

Code No.	Size	Rate/Pc.
UTF 001	1/8	
UTF 002	1/4	
UTF 003	3/8	
UTF 004	1/2	
UTF 005	3/4	
UTF 006	1	



13 FOUR WAY MALE (BSP)

(OD X BSPT X OD)

Code No.	Size	Rate/Pc.
FWM 001	1/8	
FWM 002	3/16	
FWM 003	1/4	
FWM 004	5/16	
FWM 005	3/8	
FWM 006	1/2	
FWM 007	3/4	



17 REDUCING UNION ONLY (BSP)

Code No.	Size	Rate/Pc.
RUO 001	1/8	3/16
RUO 002	1/8	1/4
RUO 003	1/8	5/16
RUO 004	1/8	3/8
RUO 005	1/8	1/2
RUO 006	1/4	5/16
RUO 007	1/4	3/8
RUO 008	1/4	1/2
RUO 009	1/4	3/4
RUO 010	1/4	1
RUO 011	3/8	5/16
RUO 012	3/8	1/2
RUO 013	3/8	5/8
RUO 014	3/8	3/4
RUO 015	3/8	1
RUO 016	1/2	5/16
RUO 017	1/2	5/8
RUO 018	1/2	3/4
RUO 019	1/2	1



14 UNION FOUR FEMALE (BSP)

Code No.	Size	Rate/Pc.
UWF 001	1/8	
UWF 002	1/4	
UWF 003	3/8	
UWF 004	1/2	
UWF 005	3/4	



18 PU ELBOW ASSEMBLY

(BSP X TUBEOD)

Code No.	Size	Rate/Pc.
PUE 001	1/8 6mm	
PUE 002	1/8 8mm	
PUE 003	1/4 6mm	
PUE 004	1/4 8mm	
PUE 005	1/4 10mm	
PUE 006	1/4 12mm	
PUE 007	3/8 10mm	
PUE 008	3/8 12mm	
PUE 009	1/2 10mm	
PUE 010	1/2 12mm	



21 EQUAL PU ELBOW ASSEMBLY

(TUBEOD X TUBEOD)

Code No.	Size	Rate/Pc.
EPUE 001	6mm 6mm	
EPUE 002	8mm 8mm	
EPUE 003	10mm 10mm	
EPUE 004	12mm 12mm	



22 EQUAL PU CONNECTOR ASSEMBLY

(TUBEOD X TUBEOD)

Code No.	Size	Rate/Pc.
EPUC 001	6 mm 6 mm	
EPUC 002	8 mm 8 mm	
EPUC 003	10 mm 10 mm	
EPUC 004	12 mm 12 mm	



19 PU CONNECTOR ASSEMBLY

(BSP X TUBEOD)

Code No.	Size	Rate/Pc.
PUC 001	1/8 6 mm	
PUC 002	1/8 8 mm	
PUC 003	1/4 6 mm	
PUC 004	1/4 8 mm	
PUC 005	1/4 10 mm	
PUC 006	1/4 12 mm	
PUC 007	3/8 6 mm	
PUC 008	3/8 8 mm	
PUC 009	3/8 10 mm	
PUC 010	3/8 12 mm	
PUC 011	3/8 14 mm	
PUC 012	1/2 8 mm	
PUC 013	1/2 10 mm	
PUC 014	1/2 12 mm	
PUC 015	1/2 16 mm	



23 PU CONNECTOR FEMALE ASSEMBLY

(FEMALE X TUBEOD)

Code No.	Size	Rate/Pc.
PUF 001	1/8 6 mm	
PUF 002	1/8 8 mm	
PUF 003	1/4 6 mm	
PUF 004	1/4 8 mm	
PUF 005	1/4 10 mm	



20 EQUAL PU TEE ASSEMBLY

(TUBEOD X TUBEOD X TUBEOD)

Code No.	Size	Rate/Pc.
EPUT 001	6 mm 6 mm 6 mm	
EPUT 002	8 mm 8 mm 8 mm	
EPUT 003	10 mm 10 mm 10 mm	
EPUT 004	12 mm 12 mm 12 mm	



24 PT MALE TEE BRANCH

Model	Size	Rate/Pc.
06-01	6 x 1/8"	
06-02	6 x 1/4"	
06-03	6 x 3/8"	
06-04	6 x 1/2"	
08-01	8 x 1/8"	
08-02	8 x 1/4"	
08-03	8 x 3/8"	
08-04	8 x 1/2"	
10-01	10 x 1/8"	
10-02	10 x 1/4"	
10-03	10 x 3/8"	
10-04	10 x 1/2"	
12-01	12 x 1/8"	
12-02	12 x 1/4"	
12-03	12 x 3/8"	
12-04	12 x 1/2"	



PNEUMATIC FITTINGS

OTHER BRAND

PNEUMATIC FITTINGS

25 PUC - EQUAL UNION

Size	Rate/Pc.
6	
8	
10	
12	



26 PUT - EQUAL TEE

Size	Rate/Pc.
6	
8	
10	
12	



27 PY - EQUAL Y

Size	Rate/Pc.
6	
8	
10	
12	



28 PC CONNECTOR

Model	Size	PC
06-01	6 x 1/8"	
06-02	6 x 1/4"	
06-03	6 x 3/8"	
06-04	6 x 1/2"	
08-01	8 x 1/8"	
08-02	8 x 1/4"	
08-03	8 x 3/8"	
08-04	8 x 1/2"	
10-01	10 x 1/8"	
10-02	10 x 1/4"	
10-03	10 x 3/8"	
10-04	10 x 1/2"	
12-01	12 x 1/8"	
12-02	12 x 1/4"	
12-03	12 x 3/8"	
12-04	12 x 1/2"	



29 PZA - UNION CROSS

Size	Rate/Pc.
6	
8	
10	
12	



30 PUL - EQUAL ELBOW

Size	Rate/Pc.
6	
8	
10	
12	



31 PG - UNEQUAL UNION

Size	Rate/Pc.
6-4	
8-6	
10-8	
12-8	



32 PCF CONNECTOR

Model	Size	PCF
06-01	6 x 1/8"	
06-02	6 x 1/4"	
06-03	6 x 3/8"	
06-04	6 x 1/2"	
08-01	8 x 1/8"	
08-02	8 x 1/4"	
08-03	8 x 3/8"	
08-04	8 x 1/2"	
10-01	10 x 1/8"	
10-02	10 x 1/4"	
10-03	10 x 3/8"	
10-04	10 x 1/2"	
12-01	12 x 1/8"	
12-02	12 x 1/4"	
12-03	12 x 3/8"	
12-04	12 x 1/2"	





52 gm

NM-01
OPEN END



52 gm

NM-02
CLOSE END



28 gm

NM-03




66 gm

NM-04



30 gm

NM-05



59 gm


NM-06



NM-07



NM-13



NM-08



NM-09



NM-10




NM-11



NM-12



NM-14



12x0.1mm x 11-12 Mtr.

TT-01



PU HOSE



PU COIL


Model No.	Size - O.D. x I.D. (mm)	Standard Length Meters / Roll	Price
ELP-0425	4x2.5	200	
ELP-0604	6x4	100	
ELP-0805	8x5	100	
ELP-0855	8x5.5	100	
ELP-0806	8x6	100	
ELP-1065	10x6.5	100	
ELP-1080	10x8	100	
ELP-1280	12x8	100	
ELP-1612	16x12	50	

PU COIL

Model No.	Size - O.D. x I.D. (mm)	Price (10 Mtr.)
ELP-0604C	6x4	
ELP-0805C	8x5	
ELP-1065C	10x6.5	
ELP-1208C	12x8	

Also, Available with End Fittings, with 125/- Extra On 8x5 mm Coils & 150/- Extra on 12x8 mm Coils on Net. Prices.
(end Fittings Contains Both Size Springs & Brass Fittings)

Pu Coils are Available In 4 Sizes - 5, 10, 15, 20 Meter.





PU HOSE




PU COIL

Model No.	Size - O.D. x I.D. (mm)	Standard Length Meters / Roll	Price
PWR-0425	4x2.5	200	
PWR-0604	6x4	100	
PWR-0805	8x5	100	
PWR-0855	8x5.5	100	
PWR-0806	8x6	100	
PWR-1065	10x6.5	100	
PWR-1080	10x8	100	
PWR-1280	12x8	100	
PWR-1612	16x12	50	

PU COIL

Model No.	Size - O.D. x I.D. (mm)	Price (10 Mtr.)
PWR-0604C	6x4	
PWR-0805C	8x5	
PWR-1065C	10x6.5	
PWR-1208C	12x8	

Also, Available with End Fittings, with 125/- Extra On 8x5 mm Coils & 150/- Extra on 12x8 mm Coils on Net. Prices.
(end Fittings Contains Both Size Springs & Brass Fittings)



Pu Coils are Available In 4 Sizes - 5, 10, 15, 20 Meter.



PU HOSE

Model No.	Size - O.D. x I.D. (mm)	Standard Length Meters / Roll	Price
WINGS-0425	4x2.5	200	
WINGS-0604	6x4	100	
WINGS-0805	8x5	100	
WINGS-0855	8x5.5	100	
WINGS-0806	8x6	100	
WINGS-1065	10x6.5	100	
WINGS-1080	10x8	100	
WINGS-1280	12x8	100	
WINGS-1612	16x12	50	

AIR CONTROL SWITCH & DRAIN VALVE



KB-1 / KB-4



ACS-15 /15V



DV-01



Oil Free Compressor
AC-08 DC



Oil Free Compressor
AC-30 DC



Oil Free Compressor
AC-50 DC



AC-30 C



AC-50 C



AC-100 LT



AC-150 LT



PC-30



PC-50

Model No.	HP	Speed	Air Flow	Max. Pressure	Tank Volume	Weight (N.W)	Std. Packing
AC-08 DC	1.2	2800 rpm	65 L/min	8 bar	8 Ltr.	13 kg	1 Pc.
AC-30 DC	1.5	2800 rpm	75 L/min	8 bar	30 Ltr.	18 kg	1 Pc.
AC-50 DC	2	2800 rpm	95 L/min	8 bar	50 Ltr.	25 kg	1 Pc.
AC-30 C	2	2850 rpm	200 L/min	8 bar	30 Ltr.	22 kg	1 Pc.
AC-50 C	2	2850 rpm	200 L/min	8 bar	50 Ltr.	32 kg	1 Pc.
AC-100LT	2	1050 rpm	170 L/min	8 bar	100 Ltr.	64 kg	1 Pc.
AC-150LT	3	1050 rpm	250 L/min	8 bar	150 Ltr.	84 kg	1 Pc.
PC-30	2	2850 rpm	138 L/min	8 bar	30 Ltr.	20 kg	1 Pc.
PC-50	2	2850 rpm	138 L/min	8 bar	50 Ltr.	29 kg	1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



10.5 Kg

TBB-01
TYRE BEAD BREAKER



11.5 Kg

BBG-01
TYRE BEAD BLASTER



12 Kg

BBG-02
TYRE BEAD BLASTER



12.5 Kg

TV-01
TYRE VULCANIZER




19 Kg

TV-02
TYRE VULCANIZER




14 Kg

TMDT-01
MOUNTING DISMOUNTING TOOL



11 Kg

H-01
HAMMER



6.5 Kg

P-01
PLIER



13 Kg

PH-01
PNEUMATIC HAMMER



IW 02-E



IW 02-C



IW 02-127



IW 02-L



IW 02



IW 02-CM



IW 02-BR420



IW 02-A6



IW 02-X8

Model No.	Max. Torque	Free Speed	Size	Bolt Capacity	Mechanism	Air Inlet	Air Pressure	Air Consumption	Weight	Std. Packing
IW02-E	550 N.m.	11000 rpm	1/2"	13 mm	Twin Hammer	1/4"	6-8 Kg	0.22 m³/min	1.4 Kg	5 Pcs.
IW02-C	520 N.m.	9300 rpm	1/2"	14 mm	Twin Hammer	1/4"	6-8 Kg	0.38 m³/min	1.7 Kg	5 Pcs.
IW02-127	520 N.m.	9300 rpm	1/2"	14 mm	Twin Hammer	1/4"	6-8 Kg	0.38 m³/min	1.6 Kg	5 Pcs.
IW02-L	680 N.m.	8000 rpm	1/2"	18 mm	Twin Hammer	1/4"	6-8 Kg	0.24 m³/min	2.7 Kg	5 Pcs.
IW02	850 N.m.	7500 rpm	1/2"	18 mm	Twin Hammer	1/4"	6-8 Kg	0.25 m³/min	3.1 Kg	5 Pcs.
IW02-CM	900 N.m.	8000 rpm	1/2"	18 mm	Twin Hammer	1/4"	6-8 Kg	0.25 m³/min	2.2 Kg	5 Pcs.
IW02-BR 420	980 N.m.	7000 rpm	1/2"	18 mm	Twin Hammer	1/4"	6-8 Kg	0.38 m³/min	5.2 Kg	5 Pcs.
IW02-A6	800 N.m.	8000 rpm	1/2"	14 mm	Twin Hammer	1/4"	6-8 Kg	0.37 m³/min	2.5 Kg	5 Pcs.
IW02-X8	880 N.m.	8000 rpm	1/2"	16 mm	Twin Hammer	1/4"	6-8 Kg	0.37 m³/min	1.5 Kg	5 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



IW 02-S



IW 02-A16



IW 02-B2



IW 03



IW 01



IW 04-P



IW 04-PT



IW 04-PH



IW 04-CL

Model No.	Max. Torque	Free Speed	Size	Bolt Capacity	Mechanism	Air Inlet	Air Pressure	Air Consumption	Weight	Std. Packing
IW02-S	520 N.m.	9000 rpm	1/2"	13 mm	Twin Hammer	1/4"	6-8 Kg	0.22 m³/min	1.6 Kg	5 Pcs.
IW02-A16	520 N.m.	9300 rpm	1/2"	14 mm	Twin Hammer	1/4"	6-8 Kg	0.45 m³/min	1.1 Kg	5 Pcs.
IW02-B2	660 N.m.	8500 rpm	1/2"	16 mm	Twin Hammer	1/4"	6-8 Kg	0.45 m³/min	2.6 Kg	5 Pcs.
IW03	1350 N.m.	6000 rpm	3/4"	32 mm	Twin Hammer	3/8"	6-10 Kg	0.38 m³/min	5.2 Kg	2 Pcs.
IW01	520 N.m.	9000 rpm	3/8"	13 mm	Twin Hammer	1/4"	6-8 Kg	0.22 m³/min	1.6 Kg	5 Pcs.
IW04-P	1700 N.m.	4600 rpm	1"	33 mm	Twin Hammer	1/2"	6-10 Kg	0.40 m³/min	7.3 Kg	2 Pcs.
IW04-PT	2180 N.m.	4500 rpm	1"	41 mm	Pinless Hammer	1/2"	8-12 Kg	0.68 m³/min	12.5 Kg	2 Pcs.
IW04-PH	2400 N.m.	4500 rpm	1"	30 mm	Twin Hammer	1/2"	6-10 Kg	0.80 m³/min	9.0 Kg	2 Pcs.
IW04-CH	1950 N.m.	5000 rpm	1"	41 mm	Twin Hammer	1/2"	8-12 Kg	0.50 m³/min	7.3 Kg	1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



IW 04-L



IW 04



IW 04-T



IW 04-T PLUS



IW 04-H



IW 04-Y19



TU 90-D



TU 80-D



20 KG

IWT-01

Model No.	Max. Torque	Free Speed	Size	Bolt Capacity	Mechanism	Air Inlet	Air Pressure	Air Consumption	Weight	Std. Packing
IW04-L	2180 N.m.	4200 rpm	1"	41 mm	Pinless Hammer	1/2"	8-12 Kg	0.70 m³/min	14.0 Kg	1 Pc.
IW04	2980 N.m.	3800 rpm	1"	39 mm	Pinless Hammer	1/2"	8-12 Kg	0.70 m³/min	17.0 Kg	1 Pc.
IW04-T	2980 N.m.	3800 rpm	1"	39 mm	Pinless Hammer	1/2"	8-12 Kg	0.70 m³/min	17.0 Kg	1 Pc.
IW04-T PLUS	3200 N.m.	3200 rpm	1"	39 mm	Pinless Hammer	1/2"	8-12 Kg	0.71 m³/min	16.4 Kg	1 Pc.
IW04-H	3800 N.m.	3300 rpm	1"	50 mm	Pinless Hammer	1/2"	8-12 Kg	0.78 m³/min	19.0 Kg	1 Pc.
IW04-Y19	4500 N.m.	4200 rpm	1"	50 mm	Pinless Hammer	1/2"	8-12 Kg	1.05 m³/min	16.8 Kg	1 Pc.
TU90-D	5000 N.m.	2700 rpm	1"	55 mm	Pinless Hammer	1/2"	8-12 Kg	1.24 m³/min	19.2 Kg	1 Pc.
TU80-D	5200 N.m.	3000 rpm	1"	55 mm	Pinless Hammer	1/2"	8-12 Kg	1.24 m³/min	16.8 Kg	1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



IW 04-S



IW 05-S



LSM-01



LSM-02



FP-01




AP-01



GGH-01



GGH-01 RK



ES-01 | ES-02

Model No.	Max. Torque	Free Speed	Size	Bolt Capacity	Mechanism	Air Inlet	Air Pressure	Air Consumption	Weight	Std. Packing
IW 04-S	2980 N.m.	3800 rpm	1"	48 mm	Pinless Hammer	1/2"	8-12 Kg	0.71 m³/min	15.6 Kg	1 Pc.
IW 05-S	7200 N.m.	2800 rpm	1.5"	52 mm	Pinless Hammer	1/2"	6-10 Kg	0.31 m³/min	19.2 Kg	1 Pc.


Model No.	Max. Torque	Size	Length	Bolt Capacity	Mechanism	Weight	Std. Packing
LSM-01	3200 N.m.	1"	360 mm	1:68	Manual	9 Kg	3 Pcs.
LSM-02	3800 N.m.	1"	365 mm	1:88	Manual	10 Kg	3 Pcs.

Model No.	Power Source	Body	Piston Material	Air Nozzle	Air Hose Length	Weight	Std. Packing
FP-01	Manual	M.S.	Cast Iron	Plastic	0.75 Mtr.	2.1 Kg	12 Pcs.
AP-01	DC 12 Volt	ALU	-	Brass	1 Mtr.	1.7 Kg	6 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



TJ-03



TJ-05



ATJ-04H



GBJ-01



JS-3T



BJ-03 | BJ-05



(Rubber) 60 mm

JG-01
JACK GASKET



(PU) 60 mm

JG-02
JACK GASKET




(PU) 45x75x20

BG-01
BOTTLE GASKET

Note : All Size of Trolley Jack & Bottle Jack gasket Available price against Order

Model No.	Capacity	Maximum Height (mm)	Minimum Height (mm)	Plate Size (mm)	Length (mm)	Weight	Price
TJ-2	2 Ton	390	165	6	736	21.95 kg.	
TJ-2.5	2.5 Ton	460	165	7	762	25.85 kg.	
TJ-3	3 Ton	460	165	8	762	28.20 kg.	
TJ-4	4 Ton	525	160	10	890	35.50 kg.	
TJ-5	5 Ton	455	150	10	1397	74 kg.	
TJ-10	10 Ton	455	150	12	1447	98 kg.	
TJ-15	15 Ton	455	150	14	1447	150 kg.	
TJ-20	20 Ton	455	150	18	1447	180 kg.	
TJ-25	25 Ton	431	190	23	1447	200 kg.	
ATJ-03H	3 Ton	456	120	-	-	29.5 kg.	
ATJ-04H	4 Ton	510	75	-	-	32 kg.	
GBJ-01	20 mm	762	203	-	812	55 kg.	
GBJ-02	25 mm	762	203	-	812	66 kg.	
JS-3T	3 Ton	415	285	-	-	5.2 kg.	
BJ-03	3 Ton	400	145	-	-	17 kg.	
BJ-05	5 Ton	400	150	-	-	24 kg.	



Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



6 Point STD Impact Socket


1" Square Drive 6 Point Sockets

Size (mm)	24	26	27	28	30	32	33
Size (mm)	34	35	36	38	41	45	46
Size (mm)	50	55	60	65	70	75	80
Size (mm)	85	90	95	100	105	110	



Impact Adaptor

Model no.	IA01	IA02	IA03	IA04	IA05	IA06	IA07	IA08
Female	3/8"	1/2"	1/2"	1/2"	3/4"	3/4"	1"	1"
Male	1/2"	3/8"	3/4"	1"	1/2"	1"	1/2"	3/4"



Universal Joint

Model no.	UJ-01	UJ-02	UJ-03
Size	1"	3/4"	1/2"



SS 01 - 38 MM (15 Pcs.)

8,9,10,11,12,13,14,15
17,19,21,22,24,27,32 mm



SS 02 - 78 MM (15 Pcs.)

8,9,10,11,12,13,14,15
17,19,21,22,24,27,32 mm



SS 03 - 90 MM (14 Pcs.)

17,19,21,22,24,26,27,
28, 30,32,34,36,38,41 mm



Copper Winding
HPP 01-2.2 HP



Copper Winding
HPP 02-4 HP



Copper Winding
HPP 03-7.5 HP



HPP-01 Head
WP 01-2.2 HP



HPP-02 Head
WP 02-4 HP



HPP-03 Head
WP 03-7.5 HP



Copper Winding
V2S-01



Aluminium Winding
V2S-02



V2S HEAD

Model No.	Motor	Power	Max. Pressure	Voltage	Speed	Flow Rate	Weight
HPP 01	2.2 HP	1650 W	100 bar	220 V	2800 rpm	8 L/min	32 Kg
HPP 02	4 HP	2250 W	120 bar	380 V	1450 rpm	15 L/min	56 Kg
HPP 03	7.5 HP	4100 W	210 bar	380 V	1450 rpm	15 L/min	66.5 Kg
WP 01	2.2 HP	1650 W	100 bar	220 V	2800 rpm	8 L/min	5 Kg
WP 02	4 HP	2250 W	120 bar	380 V	1450 rpm	15 L/min	7.5 Kg
WP 03	7.5 HP	4100 W	210 bar	380 V	1450 rpm	15 L/min	8.5 Kg
V2S-01	2 HP	1500 W	100 bar	220 V	2800 rpm	8 L/min	12 Kg
V2S-02	2 HP	1500 W	100-120 bar	220 V	2800 rpm	8 L/min	12 Kg

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



F-01
FILTER



OC-01
OUTLET CONNECTOR



IC-01
INLET CONNECTOR



90/-

PCG-11 T
NOZZLE

N T
1/4"x12mm
M14x12mm
3/8"x15mm
M22x15mm



C-01,02,03,04
COUPLER

M22x1/2"
M22x3/8"
M22xM22



HU-01,02,03
HOSE UNION

N T
1/4"x12mm
3/8"x12mm
3/8"x15mm
1/2"x15mm
M22x15mm



CPM-01,02,03,04,05
COUPLER PIN MALE

N T
1/4"x12mm
3/8"x15mm
1/2"x15mm
M22x15mm



CPF-01,02,03,04
COUPLER PIN FEMALE

7 Mtr.
10 Mtr.
15 Mtr.
20 Mtr.



V2S-RH01,02,03,04
RUBBER HOSE

10 Mtr.
15 Mtr.
20 Mtr.



22mm Connector

HPP 01- RH01,02,03
RUBBER HOSE

10 Mtr.
15 Mtr.
20 Mtr.



22mm Connector

HPP 02- RH01,02,03
RUBBER HOSE

10 Mtr.
15 Mtr.
20 Mtr.



22mm Connector

HPP 03- RH01,02,03
RUBBER HOSE



20 LTR. VACUUM CLEANER

VC-20



35 LTR. VACUUM CLEANER

VC-35



80 LTR. VACUUM CLEANER

VC-80



VM-1500



WITH GUN

FTG-01
FT-25



WITH GUN

FTG-02
FT-26



6" AIR PALM SANDER

AT-991LA



NRV - 3/4"



AC-4010-04 1/2"
AC-2010-02 1/4"
AF-4000-04 1/2"
AF-2000-02 1/4"
AR-4000-04 1/2"
AR-2000-02 1/4"
AW-4000-04 1/2"
AW-2000-02 1/4"

FRL

Model No.	Capacity	Power	Air Flow Rate	Vacuum Suction	Voltage	Length of Cable	Weight	Std. Packing
VC-20	20 Ltr.	1500 W	53 L/s	200 mbar	220-240 V	5 Mtr.	10.65 Kg	1 Pc.
VC-35	35 Ltr.	1500 W	53 L/s	200 mbar	220-240 V	5 Mtr.	11.95 Kg	1 Pc.
VC-80	80 Ltr.	4500 W	120 L/s	200 mbar	220-240 V	5 Mtr.	27.10 Kg	1 Pc.
Model No.	Air Inlet		Air Pressure	Thickness		Weight		Std. Packing
FT-25	1/4"		1-2 bar	1.2 mm		14.250 kg		1 Pc.
FT-26	1/4"		1-2 bar	1.5 mm		18 kg		1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



DOUBLE RUBBER



SUPER D COPPER



5 Layer

8.5 mm



10 mm



13 mm

Note : Welding Cable Available in ISI Marka Also.

Model No.	Gauge	Description	Sq./mm	Wire	Rode Size	Amp.
WC-25 P	38	Popular	25	300	12-10	200
WC-35 P	38	Popular	35	500	12-10	300
WC-50 P	38	Popular	50	700	12-8	400
WC-70 P	38	Popular	70	1000	12-8	500
WC-25 D	36	Deluxe	25	300	12-8	300
WC-35 D	36	Deluxe	35	500	12-8	400
WC-50 D	36	Deluxe	50	700	12-8	500
WC-70 D	36	Deluxe	70	1000	12-8	600

Price Available Against Orders

Model No.	Size	Working Pressure	Layer	Weight	Std. Packing	Price
HPH-8.5	8.5 mm / 13 mm	300 kg / cm ²	5 Layer	14 Kg	200 Mtr.	
HPH-10	10 mm / 16 mm	300 kg / cm ²	5 Layer	17 Kg	200 Mtr.	
HPH-13	13 mm / 19 mm	300 kg / cm ²	5 Layer	22 Kg	100 Mtr.	

Note : Price can be changed without Prior Notice.

OTHER BRAND

PNEUMATIC TOOLS



1/2" Impact Wrench Kit
AT-5004 SG



1/2" Impact Wrench
AT-5040 B



1/2" Air Ratchet Wrench
AT-5059



4" Air Angle Grinder
AT-282



1/4" Mini Air Die Grinder
AT-7032 B



1/4" Mini Air Die Grinder
AT-7032 BK



3/16" Hydraulic Riveter Kit
AT-6015 SG



10 mm Air Belt Sander
AT-480 SG



1/4" Air Screwdriver
AT-W5



Air Stapler
AT-8016



Air Nailer
F-30



Air Nailer
F-50

painter

ΕΛΕΦΑΝΤ



Scan the QR Code
to download PDF

TERMS & CONDITION

Discounts	As applicable
Taxes	Extra as applicable
Freight	Extra as applicable
Insurance	Extra as applicable

This Cancels All Our Previous Price Lists