



INNOVATION
BEYOND
PERFECTION

Catalogue
August - 2026

ELEPHANT



Discount Structure :

1.% Discount on payment within in 30 days of date of invoice.
2.% Discount on payment against material or within in 7 days of date of invoice.
3.% Discount on payment against P.I (Proforma Invoice).

Term & Conditions :-

- Minimum Order Quantity 50,000/- for any Discount Structure.
- Company shall not be responsible for any breakage of material in transportation.
- Company will only responsible for manufacturing defect (Within 7 Days of Sale)
of any product, Company will not give any guarantee warranty of any product.
- Company shell not be responsible for any replacement of product, However if there is
any manufacturing defect in our new product then company will liable to provide spare
parts on FOC basis.
- All spare parts available of **Painter** & **Elephant** Products.
- Price list may change without prior notice.
- List price and M.R.P. on product may be differ, we offer discount on price list not on M.R.P.
- Bilty charges 100/- per bill mandatory.



Exclusive Range of Spray Guns...

Paint Spray Gun

Automatic
Guns

Paint Tank

Texture Gun

Airless &
Putty Sprayer

Filter &
Regulator

Pen Guns

Mini Air
Compressor

Protective &
Lubricative Gun

Pressure
Cleaning Gun

Foam Guns

Air Blow Gun
& Ball Valve



HVLP
PS-01



PS-02



PS-03



PR-01



PR-02



HVLP
PT-01



HVLP
PT-02



LVMP
PM-01



LVMP
PM-02

Note : 50/- Extra on net cost for Nozzle size above 1.7 mm.

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
PS-01	20-50 psi	600 ml	1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 2.0, 2.5	Gravity	1/4"	710 gm	20 Pcs.
PS-02	20-40 psi	300 ml	1.2	Gravity	1/4"	410 gm	30 Pcs.
PS-03	20-40 psi	100 ml	0.9	Gravity	1/4"	325 gm	30 Pcs.
PR-01	30-60 psi	600 ml	1.4, 1.7, 2.0, 2.5	Gravity	1/4"	650 gm	20 Pcs.
PR-02	30-50 psi	300 ml	1.2	Gravity	1/4"	410 gm	30 Pcs.
PT-01	20-50 psi	600 ml	1.4, 1.7, 2.0, 2.5	Gravity	1/4"	905 gm	20 Pcs.
PT-02	20-50 psi	300 ml	1.2	Gravity	1/4"	450 gm	20 Pcs.
PM-01	20-50 psi	600 ml	1.3, 1.5, 1.7, 2.0, 2.5	Gravity	1/4"	735 gm	20 Pcs.
PM-02	20-50 psi	300 ml	1.0	Gravity	1/4"	450 gm	20 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



HVLP
H-827



HVLP
PF-01



HVLP
PF-02



PJ-01



Forged Body
GFG-01



MINI-TT



PL-02



TUBA-02



TUBA-03

Note : 100/- Extra on net cost for Nozzle size above 1.7 mm.

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
H-827	20-40 psi	600 ml	1.3, 1.4, 1.5, 1.7, 2.0	Gravity	1/4"	650 gm	20 Pcs.
PF-01	20-40 psi	600 ml	1.3, 1.5, 1.7, 2.0, 2.5	Gravity	1/4"	680 gm	10 Pcs.
PF-02	20-30 psi	300 ml	0.5, 0.8, 1.0, 1.2	Gravity	1/4"	460 gm	10 Pcs.
PJ-01	20-40 psi	600 ml	1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 2.0, 2.5, 3.0	Gravity	1/4"	660 gm	10 Pcs.
GFG-01	20-60 psi	600 ml	1.3	Gravity	1/4"	768 gm	10 Pcs.
MINI-TT	30-50 psi	200 ml	1.0	Gravity	1/4"	450 gm	10 Pcs.
PL-02	20-50 psi	600 ml	1.3	Gravity	1/4"	910 gm	10 Pcs.
TUBA-02	20-40 psi	100 ml	0.8	Gravity	1/4"	400 gm	10 Pcs.
TUBA-03	20-40 psi	100 ml	0.5	Gravity	1/4"	380 gm	10 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

VOYLET



H-827

POWER




H-827

SUPER AUTO



H-827

ITALGO



SHINE-2

ITALGO



GLOSS-2

POWER



H-2000



Split Nozzle

SN-01



SN-02

POWER



S-990

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
VOYLET	20-40 psi	600 ml	1.3, 1.4, 1.5, 1.7, 2.0, 2.5	Gravity	1/4"	640 gm	10 Pcs.
POWER	20-40 psi	600 ml	1.3	Gravity	1/4"	560 gm	20 Pcs.
SUPER AUTO	20-40 psi	600 ml	1.4	Gravity	1/4"	520 gm	20 Pcs.
SHINE-2	20-40 psi	600 ml	1.4	Gravity	1/4"	855 gm	10 Pcs.
GLOSS-2	20-40 psi	600 ml	1.3	Gravity	1/4"	835 gm	10 Pcs.
H-2000	20-40 psi	100 ml	0.8	Gravity	1/4"	260 gm	20 Pcs.
SN-01	20-40 psi	600 ml	1.3	Gravity	1/4"	800 gm	10 Pcs.
SN-02	20-40 psi	600 ml	1.3	Gravity	1/4"	780 gm	10 Pcs.
S-990	40-50 psi	600 ml	1.5	Gravity	1/4"	430 gm	20 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



W-71



W-77



W-101



CP-10



DN-18

Prona

Round
Air-Cap



MRS-F
RELEASE AGENT

VOULET



W-71 S



W-71 L



SF-12

Note : 100/- Extra on net cost for Nozzle size above 1.7 mm.

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
W-71	40-60 psi	-	1.0, 1.3, 1.5, 1.8	Pressure	1/4"	460 gm	10 Pcs.
W-77	40-60 psi	-	1.5, 2.0, 2.5	Pressure	1/4"	540 gm	10 Pcs.
W-101	30-50 psi	-	0.8, 1.0, 1.3, 1.5, 1.8	Pressure	1/4"	350 gm	10 Pcs.
CP-10	40-60 psi	-	1.4	Pressure	1/4"	585 gm	10 Pcs.
DN-18	30-50 psi	-	1.0	Pressure	1/4"	400 gm	10 Pcs.
MRS-F	20-30 psi	-	0.3, 0.5	Pressure	4 mm	250 gm	10 Pcs.
W-71 S	30-50 psi	600 ml	1.5	Suction	1/4"	500 gm	10 Pcs.
W-71 L	30-50 psi	600 ml	1.3	Suction	1/4"	460 gm	20 Pcs.
SF-12	40-60 psi	800 ml	1.7	Suction	1/4"	925 gm	10 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



WA-101



WA-200



ST-6



PT-02



PTA-10 / 20 / 60
WITH AGITATOR



PT-10 / 20
MANUAL



PT-08

VOYLET



Side Cup

F-75



Side Cup

LPH-50

Model No.	Operating Pressure	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
WA-101	40-50 psi	0.8, 1.0, 1.2, 1.3, 1.5, 1.8	Pressure	1/4"	280 gm	10 Pcs.
WA-200	40-50 psi	1.2, 1.3, 1.5, 1.8, 2.0, 2.5	Pressure	1/4"	310 gm	10 Pcs.
ST-6	40-50 psi	0.5, 1.0, 1.3, 2.0	Pressure	6 mm	270 gm	10 Pcs.

Model No.	Capacity	Working Pressure (Bar)	Paint Output	Weight
PT-02	2 Ltr.	1.4-2.0	1/4"	1.5 Kg
PTA-10/20/60	10/20/60 Ltr.	1.4-2.0	1/4"	14.85 / 21.95 / 40.40 Kg
PT-10/20	10/20 Ltr.	1.4-2.0	1/4"	13.65 / 21.35 Kg
PT-08	10 Ltr.	1.4-2.0	1/4"	12.30 Kg

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
F-75	40-60 psi	600 ml	1.5	Gravity	1/4"	500 gm	10 Pcs.
LPH-50	20-30 psi	300 ml	1.0	Gravity	1/4"	220 gm	10 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available

VOYLET



Side Cup

F-2

VOYLET



Side Cup

K-3A

VOYLET



HOPPER GUN

Wellspray
SuperSpray



TG-16

POWER



TG-17



TG-18



TG-22



WPR-01
Wall Plaster Remover



PSM-02 / PSM-02 WE
Plaster Smoothing Machine

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
F-2	20-40 psi	125 ml	0.5	Gravity	1/4"	560 gm	10 Pcs.
K-3A	20-40 psi	125 ml	0.5	Gravity	1/4"	520 gm	10 Pcs.
HOPPER GUN	80-100 psi	3.5 Ltr.	4.0, 6.0, 8.0	Gravity	1/4"	1.920 kg	6 Pcs.
TG-16	80-100 psi	2 Ltr.	-	Gravity	5/16"	905 gm	9 Pcs.
TG-17	80-100 psi	2 Ltr.	-	Gravity	1/4"	735 gm	12 Pcs.
TG-18	80-100 psi	2 Ltr.	-	Gravity	1/4"	1400 gm	6 Pcs.
TG-22	80-100 psi	3.5 Ltr.	4.0, 6.0, 8.0	Gravity	1/4"	480 gm	6 Pcs.
Model No.	Planing Width	Voltage	Free Speed	Thickness		Weight	Std. Packing
WPR-01	5.9" / 15 cm	1680 W	4200 rpm	-		5.2 Kg	1 Pc.
PSM-02	15" Diameter	750 W	2800 rpm	48 mm		6 Kg	1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



Paint

P-150



Paint

P-4500



Paint

818-C | R-450



Paint

818-L | AS-1200



Paint / Putty

AS-2800



Paint / Putty

PG-01 | AS-4000



EGH-10



EGH-11



PSM-01

Model No.	Voltage	Motor Power	Max. Flow Rate	Viscosity (Pa.s)	Max. Pressure	Weight
P-150	220 V	650 W	1.1 L/min	2.5-5.0	2900 psi	6.5 Kg.
P-4500	220 V	900 W	1.8 L/min		3200 psi	15 Kg.
R-450	220 V	900 W	2.0 L/min	2.5-5.0	3300 psi	15.5 Kg.
AS-1200	220 V	1000 W	2.0 L/min	2.5-5.0	2900 psi	14.5 Kg.
AS-2800	220 V	2800 W	3.2 L/min	10-15	2900 psi	18 Kg.
AS-4000	220 V	4000 W	10 L/min	20-100	3000 psi	60 Kg.
Model No.	Voltage	Cup Capacity	Nozzle Size (mm)	Power	Weight	Std. Packing
EGH-10	220V - 240V	1200 ml	1.0, 1.8, 2.5	550 W	1.3 Kg.	6 Pcs.
EGH-11	220V - 240V	1500 ml	1.0, 1.8, 2.5	650 W	1.8 Kg.	6 Pcs.
PSM-01	40-100 psi	2000 ml	10	-	1.8 Kg.	2 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.


All Spare Parts Available



AF-01
Filter



AF-02
Filter



AR-01
Air Regulator




AR-02
Air Regulator



AR-03
Air Regulator



AR-04
Air Regulator



AR-05
Air Regulator



PSM-02



Length: 15 Mtr.
Connection Size: 1/4\"/>

ASH-01
Airless Spray Hose



ATG-01
Airless Tip Guard



AE-01
Airless Extension



AGF-01
Airless Gun Filter



818-C TIP

209, 210, 211, 213, 215, 217, 310,
311, 313, 315, 317, 319, 321, 335,
343, 411, 413, 415, 417, 419, 421,
423, 425, 433, 435, 513, 515, 527,
529, 615, 619, 621, 623, 625, 627, 723



SPRAY TIP

517, 519,
521, 523, 525



PUTTY SPRAY TIP

439, 445, 531,
535, 539, 631, 635,
639, 641, 643, 645

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



AB-17



AB-19



AB-21



AB-22
All in One Kit



AS-182




AS-186 (3 Ltr.)



3 Meter

PGH-01



AC-02 / AC-03
AIR CONTROLLER



CONNECTOR



0.3 mm

Needle | Nozzle

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
AB-17	10-30 psi	2 ml	0.3	Gravity	6 mm	70 gm	30 Pcs.
AB-19	10-30 psi	7 ml	0.3	Gravity	6 mm	100 gm	30 Pcs.
AB-21	10-30 psi	40 75 ml	0.5	Gravity	6 mm	155 gm	30 Pcs.
AB-22 Kit	10-30 psi	7 ml	0.3	Gravity	6 mm	950 gm	12 Pcs.
Model	Voltage	Power	Speed	Air Flow Capacity	Length of Cable	Noise	Weight
AS-182	220 V	1/6 HP	1450-1700	23 L/min	2 Mtr.	47 db	3.2 Kg.
AS-186	220 V	1/6 HP	1450-1700	23 L/min	2 Mtr.	47 db	5.0 Kg.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



SBG-09
SAND BLASTING



PDC-01
PRESSURE DIE CAST



FG-05
FOUNDRY



UBC-22
UNDER BODY COATING

POWER



UBC-23
UNDER BODY COATING



OSG-07
OIL SPRAY



AT-991LA
Air Palm Sander



ES-01
SANDER MACHINE



EP-01
ELECTRIC POLISHING

Model No.	Operating Pressure	Cup Capacity	Feed	Air Inlet	Weight	Std. Packing
SBG-09	50-100 psi	600 ml	Gravity	1/4"	530 gm	28 Pcs.
PDC-01	40-80 psi	-	Pressure	8 mm	510 gm	10 Pcs.
FG-05	40-80 psi	-	Pressure	8 mm	320 gm	10 Pcs.
UBC-22	80-90 psi	-	Suction	1/4"	335 gm	20 Pcs.
UBC-23	80-90 psi	-	Suction	1/4"	300 gm	20 Pcs.
OSG-07	40-80 psi	600 ml	Suction	1/4"	630 gm	16 Pcs.
Model No.	Speed	Power	Voltage	Frequency	Weight	Std. Packing
ES-01	1500-4500 rpm	900 W	230 V	50-60 Hz	2.5 Kg.	4 Pcs.
EP-01	500-3300 rpm	1200 W	230 V	50-60 Hz	3 Kg.	4 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



10 mm

PCG-06 A T-TYPE



10 mm

PCG-06 B T-TYPE



10 mm

PCG-10 S.S I-TYPE

POWER



3/8" F

CWG-01

POWER



3/8" F

CWG-02

POWER



3/8" F

CWG-03



S.S.

2.0, 2.5, 3.0 MM

SWN-08



3/8" F

PCG-13 TM



Comp.
Operated

ACWG
AIR CUM WATER GUN

Model No.	Operating Pressure	Weight	Std. Packing
PCG-06 A	50-100 psi	530 gm	20 Pcs.
PCG-06 B	50-100 psi	770 gm	20 Pcs.
PCG-10 S.S.	50-100 psi	520 gm	50 Pcs.
CWG-01	30-70 psi	420 gm	20 Pcs.
CWG-02	30-70 psi	520 gm	20 Pcs.
CWG-03	30-70 psi	420 gm	20 Pcs.
SWN-08	50-100 psi	110 gm	50 Pcs.
PCG-13 TM	30-70 psi	600 gm	10 Pcs.
ACWG	40-80 psi	350 gm	10 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



22mm

PCG-11 T



22mm

PCG-12 TL



PCG-14 S



22mm

PCG-15



3/8" Female

PCG-16



DWE-01
DUAL WASHING EXTENSION



4 Nozzle

UBL-04
UNDER BODY LENS



7 Nozzle

UBL-07
UNDER BODY LENS



EX-01 | EX-02

Model No.	Operating Pressure	Weight	Std. Packing
PCG-11 T	3200 psi	520 gm	10 Pcs.
PCG-12 TL	3200 psi	820 gm	10 Pcs.
PCG-14 S	5000 psi	455 gm	10 Pcs.
PCG-15	3200 psi	260 gm	10 Pcs.
PCG-16	5000 psi	700 gm	10 Pcs.
DWE-01	3600 psi	490 gm	10 Pcs.
UBL-04	3200 psi	1200 gm	5 Pcs.
UBL-07	3200 psi	1700 gm	5 Pcs.
EX-01 EX-02	3200 psi	340 gm	10 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



Comp.
Operated

FG-21



Washer
Operated

FG-22



Washer
Operated

FG-23



Washer
Operated

FG-24



Washer
Operated

FG-26



Washer
Operated

FG-27

POWER



Washer
Operated

FG-01

POWER



Washer
Operated

FG-02



Washer
Operated

WH-01

Model No.	Operating Pressure	Air Pressure	Std. Packing
FG-21	1/4"	30-70 psi	14 Pcs.
FG-22	Connector Type	50-100 psi	10 Pcs.
FG-23	Connector Type	50-100 psi	30 Pcs.
FG-24	Connector Type	50-100 psi	20 Pcs.
FG-26	Push Type	50-100 psi	50 Pcs.
FG-27	Connector Type	50-100 psi	20 Pcs.
FG-01	Connector Type	50-100 psi	30 Pcs.
FG-02	Connector Type	50-100 psi	30 Pcs.
WH-01	Connector Type	50-100 psi	20 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available

P-13

POWER



FT-25 (80 Ltr.)

NO Warranty Guarantee



304 SS

FT-26 (80 Ltr.)



FTG-01



FTG-02



0°, 15°, 25°, 40°, 65°

MRN-01
Multi-Rotating Nozzle



PCG-11 T (60)
Nozzle



F-01
Filter



OC-01
Outlet Connector



IC-01
Inlet Connector

M.O.Q. : 50 Pcs.

Model No.	Air Inlet	Air Pressure	Thickness	Weight	Std. Packing
FT-25	8 mm	1-2 bar	1.2 mm	14.250 kg	1 Pc.
FT-26	8 mm	1-2 bar	1.5 mm	18 kg	1 Pc.
FTG-01	8 mm	1-2 bar	-	360 gm	20 Pcs.
FTG-02	8 mm	1-2 bar	-	230 gm	20 Pcs.
MRN-01	Connector Type	50-100 bar	-	130 gm	10 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



ABG-04



Brass Thread

ABG-05 P

POWER



Brass Thread

ABG-06

POWER



ABG-07

POWER



Brass Thread

AG-ASB

POWER



DG-10+1



LH-01



GV-M | GV-F



BF-01

Note : Ball Valve available in all sizes, Price against order.

Model No.	Max. Pressure	Air Inlet	Weight	Std. Packing
ABG-04	8-10 Bar	1/4"	220 gm	50 Pcs.
ABG-05 P	8-10 Bar	1/4"	140 gm	50 Pcs.
ABG-06	8-10 Bar	1/4"	90 gm	100 Pcs.
ABG-07	8-10 Bar	1/4"	90 gm	100 Pcs.
AG-ASB	8-10 Bar	1/4"	55 gm	100 Pcs.
DG-10+1	8-10 Bar	1/4"	125 gm	100 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

OTHER BRAND

SPRAY GUNS



ONIDA



NOVA-1



NOVA-1/2



POWER-1



POWER-1/2



POWER OIL GUN



POWER-1/4



USA INDIA-1/4



J.K. INDIA-1/4



SUPER SPRAY



AC-30



AC-60



5/8"

600 ML MALE



5/8"

600 ML FEMALE



600 ML S.S.



600 ML M.S.



300 ML S.S.



300 ML M.S.



300 ML MALE



100 ML MALE



100 ML S.S.



600 ML SUCTION



PF-01 CUP



PT-01 | PM-01



SBG-09 CUP



OSG-07 CUP



EGH-10 CUP



EGH-11 CUP



FG-21 CUP



FG-23 & 01 CUP



FG-27 CUP



FG-02 CUP

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available

Exclusive Range of Garage Equipment...

Quick Release
Coupler &
Brass Fitting

Pneumatic
Fittings

Air Inflator

Welding Cable &
High Pressure
Hose

Garage
Equipments

Trolley, Gear Box,
Balloon Jack

Impact Wrench
& Battery Tools

Sockets

Pressure Washer
& Accessories

Vacuum Cleaner,
NRV & FRL

Pneumatic Tools

Air Compressor



PPH



PPP



PPF



PPM



PSH



PSP



PSF



PSM

MODEL	PNEUMATIC COUPLING - PLASTIC							
SIZE	PPH	PPP	PPF	PPM	PSH	PSP	PSF	PSM
1/4" / 8mm								
3/8" / 10mm								
1/2" / 12mm								



PH



PP



PF



PM



SH



SP



SF



SM

MODEL	PNEUMATIC COUPLING - REGULAR QUALITY MADE OF STEEL							
SIZE	PH	PP	PF	PM	SH	SP	SF	SM
1/4" / 8mm								
3/8" / 10mm								
1/2" / 12mm								



JPH



JPP



JPF



JPM



JSH



JSP



JSF



JSM

MODEL	PNEUMATIC COUPLING (HIGH QUALITY - JAPANESE STANDARD) STEEL BODY - ONE TOUCH							
SIZE	JPH	JPP	JPF	JPM	JSH	JSP	JSF	JSM
1/4" / 8mm								
3/8" / 10mm								
1/2" / 12mm								



SSH



SSP



SSF



SSM

MODEL	PNEUMATIC COUPLING - 304 SS ONE TOUCH			
SIZE	SSH	SSP	SSF	SSM
1/4" / 8mm				
3/8" / 10mm				
1/2" / 12mm				

1 HOSE NIPPLE MALE

(BSP X HOSE)

Code No.	Size	Rate/Pc.
HNM 001	1/8	1/8
HNM 002	1/8	1/4
HNM 003	1/8	5/16
HNM 004	1/8	3/8
HNM 005	1/8	1/2
HNM 006	1/4	1/8
HNM 007	1/4	1/4
HNM 008	1/4	5/16
HNM 009	1/4	3/8
HNM 010	1/4	1/2
HNM 011	3/8	1/4
HNM 012	3/8	5/16
HNM 013	3/8	3/8
HNM 014	3/8	1/2
HNM 015	1/2	1/4
HNM 016	1/2	5/16
HNM 017	1/2	3/8
HNM 018	1/2	1/2
HNM 019	1/2	5/8
HNM 020	1/2	3/4
HNM 021	3/4	3/8
HNM 022	3/4	1/2
HNM 023	3/4	5/8
HNM 024	3/4	3/4
HNM 025	3/4	1
HNM 026	1	3/8
HNM 027	1	1/2
HNM 028	1	5/8
HNM 029	1	3/4
HNM 030	1	1
HNM 031	1 1/4	1 1/4
HNM 032	1 1/2	1 1/2
HNM 033	2	2
HNM 034	2 1/2	2 1/2
HNM 035	3	3
HNM 036	4	4



2 Y JOINT NIPPLE (HOSE)

Code No.	Size	Rate/Pc.
YJN 001	1/4	
YJN 002	5/16	
YJN 003	3/8	
YJN 004	1/2	



3 HOSE NIPPLE FEMALE

(FEMALE X HOSE)

Code No.	Size	Rate/Pc.
HNF 001	1/8	1/8
HNF 002	1/8	1/4
HNF 003	1/8	5/16
HNF 004	1/8	3/8
HNF 005	1/4	1/8
HNF 006	1/4	1/4
HNF 007	1/4	5/16
HNF 008	1/4	3/8
HNF 009	1/4	1/2
HNF 010	3/8	1/4
HNF 011	3/8	5/16
HNF 012	3/8	3/8
HNF 013	3/8	1/2
HNF 014	1/2	1/4
HNF 015	1/2	5/16
HNF 016	1/2	3/8
HNF 017	1/2	1/2
HNF 018	3/4	3/4
HNF 019	1	1
HNF 020	1	3/8
HNF 021	1	1/2
HNF 022	1	5/8



4 OLIVE UNION ONLY (BSP)

Code No.	Tube ID	Rate/Pc.
OUO 001	1/8	1/8
OUO 002	3/16	3/16
OUO 003	1/4	1/4
OUO 004	5/16	5/16
OUO 005	3/8	3/8
OUO 006	1/2	1/2
OUO 007	5/8	5/8
OUO 008	3/4	3/4
OUO 009	1"	1"
OUO 010	4 mm	
OUO 011	5 mm	
OUO 012	6 mm	
OUO 013	8 mm	
OUO 014	10 mm	
OUO 015	12 mm	
OUO 016	15 mm	
OUO 017	16 mm	



5 OLIVE ELBOW MALE (BSP)

Code No.	Tube ID	Rate/Pc.
OEM 001	1/8	
OEM 002	3/16	
OEM 003	1/4	
OEM 004	5/16	
OEM 005	3/8	
OEM 006	1/2	
OEM 007	5/8	
OEM 008	3/4	
OEM 009	1"	
OEM 010	4 mm	
OEM 011	5 mm	
OEM 012	6 mm	
OEM 013	8 mm	
OEM 014	10 mm	
OEM 015	12 mm	
OEM 016	15 mm	
OEM 017	16 mm	
OEM 018	20 mm	
OEM 019	25 mm	



8 REDUCING UNION ONLY (BSP)

Code No.	Size		Rate/Pc.
RUO 001	1/8	3/16	
RUO 002	1/8	1/4	
RUO 003	1/8	5/16	
RUO 004	1/8	3/8	
RUO 005	1/8	1/2	
RUO 006	1/4	5/16	
RUO 007	1/4	3/8	
RUO 008	1/4	1/2	
RUO 009	1/4	3/4	
RUO 010	1/4	1	
RUO 011	3/8	5/16	
RUO 012	3/8	1/2	
RUO 013	3/8	5/8	
RUO 014	3/8	3/4	
RUO 015	3/8	1	
RUO 016	1/2	5/16	
RUO 017	1/2	5/8	
RUO 018	1/2	3/4	
RUO 019	1/2	1	
RUO 020	5/8		
RUO 021	1		
RUO 022	1		



6 HEX SOCKET

Code No.	Size		Rate/Pc.
HS 001	1/8	1/8	
HS 002	1/4	1/8	
HS 003	1/4	1/4	
HS 004	1/4	3/8	
HS 005	1/4	1/2	
HS 006	3/8	3/8	
HS 007	3/8	1/2	
HS 008	1/2	1/2	
HS 009	3/4	3/8	
HS 010	3/4	1/2	
HS 011	3/4	3/4	
HS 012	1	3/4	
HS 013	1	1	



9 OLIVE TEE MALE (BSP)

Code No.	Tube ID	Rate/Pc.
OTM 001	1/8	
OTM 002	3/8	
OTM 003	1/4	
OTM 004	5/16	
OTM 005	3/8	
OTM 006	1/2	
OTM 007	5/8	
OTM 008	3/4	
OTM 009	1"	
OTM 010	4 mm	
OTM 011	5 mm	
OTM 012	6 mm	
OTM 013	8 mm	
OTM 014	10 mm	
OTM 015	12 mm	
OTM 016	15 mm	
OTM 017	16 mm	
OTM 018	20 mm	
OTM 019	25 mm	



7 STRAIGHT JOINT NIPPLE (HOSE)

Code No.	Size	Rate/Pc.
SJN 001	3/16	
SJN 002	1/4	
SJN 003	5/16	
SJN 004	3/8	
SJN 005	1/2	
SJN 006	3/4	



10 TEE JOINT NIPPLE (HOSE)

Code No.	Tube ID	Rate/Pc.
TJN 001	3/16	
TJN 002	1/4	
TJN 003	5/16	
TJN 004	3/8	
TJN 005	1/2	
TJN 006	5/8	
TJN 007	3/4	
TJN 008	1	



15 UNION TEE FEMALE (BSP)

Code No.	Size	Rate/Pc.
UTF 001	1/8	
UTF 002	1/4	
UTF 003	3/8	
UTF 004	1/2	
UTF 005	3/4	
UTF 006	1	



11 CROSS JOINT NIPPLE (HOSE)

Code No.	Size	Rate/Pc.
CJN 001	1/4	
CJN 002	5/16	
CJN 003	3/8	
CJN 004	1/2	



16 UNION ELBOW FEMALE (BSP)

Code No.	Size	Rate/Pc.
UEF 001	1/8	
UEF 002	1/4	
UEF 003	3/8	
UEF 004	1/2	
UEF 005	3/4	
UEF 006	1	



12 FOUR WAY MALE (BSP)

(OD X BSPT X OD)

Code No.	Size	Rate/Pc.
FWM 001	1/8	
FWM 002	3/16	
FWM 003	1/4	
FWM 004	5/16	
FWM 005	3/8	
FWM 006	1/2	
FWM 007	3/4	



17 HEX PLUG (BSP)

Code No.	Size	Rate/Pc.
HHP 001	1/8	
HHP 002	1/4	
HHP 003	3/8	
HHP 004	1/2	
HHP 005	3/4	
HHP 006	1	



13 UNION FOUR FEMALE (BSP)

Code No.	Size	Rate/Pc.
FWF 001	1/8	
FWF 002	1/4	
FWF 003	3/8	
FWF 004	1/2	
FWF 005	3/4	



14 COMPRESSION ADAPTOR MALE X FEMALE

Code No.	Male(Bsp)	Female(Npt)	Rate
CAMF 001	1/8	1/4	
CAMF 002	1/4	1/4	
CAMF 003	1/4	3/8	
CAMF 004	3/8	1/4	



18 PU CONNECTOR ASSEMBLY

(BSP X TUBEOD)

Code No.	Size	Rate/Pc.
PUC 001	1/8 6 mm	
PUC 002	1/8 8 mm	
PUC 003	1/4 6 mm	
PUC 004	1/4 8 mm	
PUC 005	1/4 10 mm	
PUC 006	1/4 12 mm	
PUC 007	3/8 6 mm	
PUC 008	3/8 8 mm	
PUC 009	3/8 10 mm	
PUC 010	3/8 12 mm	
PUC 011	3/8 14 mm	
PUC 012	1/2 8 mm	
PUC 013	1/2 10 mm	
PUC 014	1/2 12 mm	
PUC 015	1/2 16 mm	



19 PU ELBOW ASSEMBLY

(BSP X TUBEOD)

Code No.	Size	Rate/Pc.
PUE 001	1/8 6mm	
PUE 002	1/8 8mm	
PUE 003	1/4 6mm	
PUE 004	1/4 8mm	
PUE 005	1/4 10mm	
PUE 006	1/4 12mm	
PUE 007	3/8 10mm	
PUE 008	3/8 12mm	
PUE 009	1/2 10mm	
PUE 010	1/2 12mm	



21 EQUAL PU TEE ASSEMBLY

(TUBEOD X TUBEOD X TUBEOD)

Code No.	Size	Rate/Pc.
EPUT 001	6 mm 6 mm 6 mm	
EPUT 002	8 mm 8 mm 8 mm	
EPUT 003	10 mm 10 mm 10 mm	
EPUT 004	12 mm 12 mm 12 mm	



22 EQUAL PU CONNECTOR ASSEMBLY

(TUBEOD X TUBEOD)

Code No.	Size	Rate/Pc.
EPUC 001	6 mm 6 mm	
EPUC 002	8 mm 8 mm	
EPUC 003	10 mm 10 mm	
EPUC 004	12 mm 12 mm	



20 PU CONNECTOR FEMALE ASSEMBLY

(FEMALE X TUBEOD)

Code No.	Size	Rate/Pc.
PUF 001	1/8 6 mm	
PUF 002	1/8 8 mm	
PUF 003	1/4 6 mm	
PUF 004	1/4 8 mm	
PUF 005	1/4 10 mm	



23 EQUAL PU ELBOW ASSEMBLY

(TUBEOD X TUBEOD)

Code No.	Size	Rate/Pc.
EPUE 001	6mm 6mm	
EPUE 002	8mm 8mm	
EPUE 003	10mm 10mm	
EPUE 004	12mm 12mm	



PNEUMATIC FITTINGS

24 PC CONNECTOR

Model	Size	Rate/Pc.
06-01	6 x 1/8"	
06-02	6 x 1/4"	
06-03	6 x 3/8"	
06-04	6 x 1/2"	
08-01	8 x 1/8"	
08-02	8 x 1/4"	
08-03	8 x 3/8"	
08-04	8 x 1/2"	
10-01	10 x 1/8"	
10-02	10 x 1/4"	
10-03	10 x 3/8"	
10-04	10 x 1/2"	
12-01	12 x 1/8"	
12-02	12 x 1/4"	
12-03	12 x 3/8"	
12-04	12 x 1/2"	



25 PCF CONNECTOR

Model	Size	Rate/Pc.
06-01	6 x 1/8"	
06-02	6 x 1/4"	
06-03	6 x 3/8"	
06-04	6 x 1/2"	
08-01	8 x 1/8"	
08-02	8 x 1/4"	
08-03	8 x 3/8"	
08-04	8 x 1/2"	
10-01	10 x 1/8"	
10-02	10 x 1/4"	
10-03	10 x 3/8"	
10-04	10 x 1/2"	
12-01	12 x 1/8"	
12-02	12 x 1/4"	
12-03	12 x 3/8"	
12-04	12 x 1/2"	



26 PUC - EQUAL UNION

Size	Rate/Pc.
6	
8	
10	
12	



27 PUT - EQUAL TEE

Size	Rate/Pc.
6	
8	
10	
12	



28 PY - EQUAL Y

Size	Rate/Pc.
6	
8	
10	
12	



29 PT MALE TEE BRANCH

Model	Size	Rate/Pc.
06-01	6 x 1/8"	
06-02	6 x 1/4"	
06-03	6 x 3/8"	
06-04	6 x 1/2"	
08-01	8 x 1/8"	
08-02	8 x 1/4"	
08-03	8 x 3/8"	
08-04	8 x 1/2"	
10-01	10 x 1/8"	
10-02	10 x 1/4"	
10-03	10 x 3/8"	
10-04	10 x 1/2"	
12-01	12 x 1/8"	
12-02	12 x 1/4"	
12-03	12 x 3/8"	
12-04	12 x 1/2"	



30 PZA - UNION CROSS

Size	Rate/Pc.
6	
8	
10	
12	



31 PUL - EQUAL ELBOW

Size	Rate/Pc.
6	
8	
10	
12	



32 PG - UNEQUAL UNION

Size	Rate/Pc.
6-4	
8-6	
10-8	
12-8	



33 NSE FLOW CONTROL


Model	Size	Rate/Pc.
06-01	6 x 1/8"	
06-02	6 x 1/4"	
06-03	6 x 3/8"	
06-04	6 x 1/2"	
08-01	8 x 1/8"	
08-02	8 x 1/4"	
08-03	8 x 3/8"	
08-04	8 x 1/2"	
10-01	10 x 1/8"	
10-02	10 x 1/4"	
10-03	10 x 3/8"	
10-04	10 x 1/2"	
12-01	12 x 1/8"	
12-02	12 x 1/4"	
12-03	12 x 3/8"	
12-04	12 x 1/2"	





52 gm

NM-01 | NM-02



28 gm

NM-03




66 gm

NM-04




30 gm

NM-05




59 gm

NM-06



NM-07 | NM-13



NM-08



NM-09



NM-10



NM-11



NM-12



NM-14



NM-15




NM-16



NM-17



PU HOSE



PU COIL


Model No.	Size - O.D. x I.D. (mm)	Standard Length Meters / Roll	Price (100 Mtr.)
ELP-0425	4x2.5	200	
ELP-0604	6x4	100	
ELP-0805	8x5	100	
ELP-0855	8x5.5	100	
ELP-0806	8x6	100	
ELP-1065	10x6.5	100	
ELP-1080	10x8	100	
ELP-1280	12x8	100	
ELP-1410	14x10	50	
ELP-1612	16x12	50	

PU COIL

Model No.	Size - O.D. x I.D. (mm)	Price (10 Mtr.)
ELP-0604C	6x4	
ELP-0805C	8x5	
ELP-1065C	10x6.5	
ELP-1208C	12x8	

Also, Available with End Fittings, with 150/- Extra On 8x5 mm Coils & 175/- Extra on 12x8 mm Coils on Net. Prices.
(end Fittings Contains Both Size Springs & Brass Fittings)

Pu Coils are Available In 4 Sizes - 5, 10, 15, 20 Meter.





NYLON TUBE



PU HOSE

Model No.	Size - O.D. x I.D. (mm)	Price (100 Mtr.)
ENT-0425	4x2.5	
ENT-0604	6x4	
ENT-0806	8x6	
ENT-1080	10x8	
ENT-1290	12x9	
ENT-1210	12x10	
ENT-1512	15x12	

*Standard Pkg. as Per Order



PU HOSE

Model No.	Size - O.D. x I.D. (mm)	Standard Length Meters / Roll	Price (100 Mtr.)
WINGS-0425	4x2.5	200	
WINGS-0604	6x4	100	
WINGS-0805	8x5	100	
WINGS-0855	8x5.5	100	
WINGS-0806	8x6	100	
WINGS-1065	10x6.5	100	
WINGS-1080	10x8	100	
WINGS-1280	12x8	100	
WINGS-1612	16x12	50	



PU HOSE



PU COIL


Model No.	Size - O.D. x I.D. (mm)	Standard Length Meters / Roll	Price (100 Mtr.)
PWR-0425	4x2.5	200	
PWR-0604	6x4	100	
PWR-0805	8x5	100	
PWR-0855	8x5.5	100	
PWR-0806	8x6	100	
PWR-1065	10x6.5	100	
PWR-1080	10x8	100	
PWR-1280	12x8	100	
PWR-1612	16x12	50	

PU COIL

Model No.	Size - O.D. x I.D. (mm)	Price (10 Mtr.)
PWR-0604C	6x4	
PWR-0805C	8x5	
PWR-1065C	10x6.5	
PWR-1208C	12x8	

Also, Available with End Fittings, with 150/- Extra On 8x5 mm Coils & 175/- Extra on 12x8 mm Coils on Net. Prices.
(end Fittings Contains Both Size Springs & Brass Fittings)

Pu Coils are Available In 4 Sizes - 5, 10, 15, 20 Meter.






WELDING CABLE
WRAPPING



HPH
HIGH PRESSURE HOSE



WELDING HOSE



PSH
PRESSURE SPRAY HOSE

Note : Welding Cable Available in ISI Marka Also.

Model No.	Gauge	Description	Sq./mm	Wire	Rode Size	Amp.	Price (100 Mtr.)
WC-25 P	38	Popular	25	300	12-10	200	
WC-35 P	38	Popular	35	500	12-10	300	
WC-50 P	38	Popular	50	700	12-8	400	
WC-70 P	38	Popular	70	1000	12-8	500	
WC-25 D	36	Deluxe	25	300	12-8	300	
WC-35 D	36	Deluxe	35	500	12-8	400	
WC-50 D	36	Deluxe	50	700	12-8	500	
WC-70 D	36	Deluxe	70	1000	12-8	600	

Price Available Against Orders

Model No.	Size	Layer	Weight	Std. Packing	Price (100 Mtr.)
HPH-08	8 mm / 14 mm	3 Layer	14 Kg	200 Mtr.	
HPH-10	10 mm / 16 mm	3 Layer	17 Kg	200 Mtr.	
PSH-08	8 mm / 16 mm	5 Layer	20 Kg	200 Mtr.	
PSH-10	10 mm / 18 mm	5 Layer	23 Kg	100 Mtr.	
PSH-12	12 mm / 20 mm	5 Layer	26 Kg	100 Mtr.	
WH-01 B / R	8 mm / 14 mm	3 Layer	14 Kg	100 Mtr.	



10.1 Kg

TBB-01
Tyre Bead Breaker



9.9 Kg

BBG-01
Bead Blaster Gallon



10.5 Kg

BBG-02
Bead Blaster Gallon



TV-01, TV-02
Tyre Vulcanizer




11.5 Kg

TV-03
Tube Vulcanizer




12.2 Kg

TMDT-01
Mounting Dismounting Tool



11 Kg

H-01
Hammer



6.2 Kg

P-01
Plier



13 Kg

PH-01
Pneumatic Hammer

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



1.9 Kg | 2.2 Kg

MTP-01, MTP-02
Manual Tyre Press



35 Kg

PTP-01
Pneumatic Tyre Press



HBB-01
Hydraulic Bead Breaker



SW-01
Sticker Weight



MC-40
Mechanic Creeper 40"



DP-10
Dent Puller - 10 Ton



LSM-01



LSM-02



LSM-03

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



TJ-3



TJ-4



TJ-5



GBJ-01



JS-3T



BJ-03 | BJ-05



(Rubber)
60, 75, 100mm
JG-01, 75, 100
Jack Gasket



(PU) 60 mm
JG-02
Jack Gasket



(PU) 45x75x20
BG-01
Bottle Gasket

Note : All Size of Trolley Jack & Bottle Jack gasket Available price against Order

Model No.	Capacity	Maximum Height (mm)	Minimum Height (mm)	Plate Size (mm)	Length (mm)	Weight	Price
TJ-2	2 Ton	380	165	6	715	23.5 kg.	
TJ-2.5	2.5 Ton	475	158	7	770	26 kg.	
TJ-3	3 Ton	480	160	8	780	29 kg.	
TJ-4	4 Ton	482	152	10	863	34.5 kg.	
TJ-5	5 Ton	585	190	10	1524	78 kg.	
TJ-10	10 Ton	585	190	12	1650	98 kg.	
TJ-15	15 Ton	585	215	16	1650	150 kg.	
TJ-20	20 Ton	585	215	20	1650	165 kg.	
GBJ-01	20 mm	812	254	20	965	55 kg.	
GBJ-02	25 mm	812	254	25	965	65 kg.	
GBJ-03	30 mm	812	254	30	965	74 kg.	
JS-3T	3 Ton	415	285	-	-	4.8 kg.	
BJ-03	3 Ton	400	145	-	-	17 kg.	
BJ-05	5 Ton	400	150	-	-	22.3 kg.	

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



ATJ-02H



ATJ-03H



ATJ-04H



ATJ-05H



ORTJ-04
Off Road Trolley Jack



PJ-80



PJ-100



PJ-120



PJ-150

Note : All Size of Trolley Jack & Pneumatic Jack gasket Available price against Order

Model No.	Capacity	Maximum Height (mm)	Minimum Height (mm)	Length (mm)	Weight	Price
ATJ-02H	2 Ton	300	130	412	7.5 kg.	
ATJ-03H	3 Ton	465	133	740	32 kg.	
ATJ-04H	4 Ton	505	75	805	33.2 kg.	
ATJ-05H	5 Ton	595	96	920	49.5 kg.	
ORTJ-04	4 Ton	525+2x76	140+2x76	770	35 kg.	
PJ-80	80 Ton	400	210	-	70 kg.	
PJ-100	100 Ton	400	210	-	80 kg.	
PJ-120	120 Ton	400	210	-	90 kg.	
PJ-150	150 Ton	420	220	-	100 kg.	

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

Oil : Hydraulic Oil 68

All Spare Parts Available



IW 02-E



IW 02-C



IW 02-S



IW 02-L



IW 02



IW 02-CM



IW 02-P



IW 03



IW 03-P

Model No.	Max. Torque	Free Speed	Size	Bolt Capacity	Mechanism	Air Inlet	Air Pressure	Air Consumption	Weight	Std. Packing
IW02-E	550 N.m.	11000 rpm	1/2"	13 mm	Twin Hammer	1/4"	6-8 Kg	0.22 m³/min	1.4 Kg	5 Pcs.
IW02-C	550 N.m.	9300 rpm	1/2"	14 mm	Twin Hammer	1/4"	6-8 Kg	0.38 m³/min	1.7 Kg	5 Pcs.
IW02-S	550 N.m.	9000 rpm	1/2"	13 mm	Twin Hammer	1/4"	6-8 Kg	0.22 m³/min	1.9 Kg	5 Pcs.
IW02-L	680 N.m.	8000 rpm	1/2"	18 mm	Twin Hammer	1/4"	6-8 Kg	0.24 m³/min	2.7 Kg	5 Pcs.
IW02	850 N.m.	7500 rpm	1/2"	18 mm	Twin Hammer	1/4"	6-8 Kg	0.25 m³/min	3.1 Kg	5 Pcs.
IW02-CM	900 N.m.	8000 rpm	1/2"	18 mm	Twin Hammer	1/4"	6-8 Kg	0.25 m³/min	2.2 Kg	5 Pcs.
IW02-P	620 N.m.	9000 rpm	1/2"	13 mm	Twin Hammer	1/4"	6-8 Kg	0.24 m³/min	1.3 Kg	5 Pcs.
IW03	1350 N.m.	6000 rpm	3/4"	32 mm	Twin Hammer	3/8"	6-10 Kg	0.38 m³/min	5.2 Kg	2 Pcs.
IW03-P	1350 N.m.	6200 rpm	3/4"	20 mm	Twin Hammer	3/8"	6-10 Kg	0.38 m³/min	3.2 Kg	2 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



3/8"

IW 01



1"

IW 04-P



1"

IW 04-PT



1"

IW 04-PH



1.5"

IW 05-S



1"

IW 04-CL



1"

IW 04-Y19



1"

TU 90-D



1"

TU 80-D

Model No.	Max. Torque	Free Speed	Size	Bolt Capacity	Mechanism	Air Inlet	Air Pressure	Air Consumption	Weight	Std. Packing
IW01	550 N.m.	9000 rpm	3/8"	13 mm	Twin Hammer	1/4"	6-8 Kg	0.22 m³/min	2.5 Kg	5 Pcs.
IW04-P	1700 N.m.	4600 rpm	1"	33 mm	Twin Hammer	1/2"	6-10 Kg	0.40 m³/min	9.0 Kg	2 Pcs.
IW04-PT	2180 N.m.	4500 rpm	1"	41 mm	Pinless Hammer	1/2"	8-12 Kg	0.68 m³/min	12.5 Kg	2 Pcs.
IW04-PH	2400 N.m.	4500 rpm	1"	30 mm	Twin Hammer	1/2"	6-10 Kg	0.80 m³/min	9.0 Kg	2 Pcs.
IW05-S	7200 N.m.	2800 rpm	1.5"	52 mm	Pinless Hammer	1/2"	6-10 Kg	0.31 m³/min	21.3 Kg	1 Pc.
IW04-CL	1950 N.m.	5000 rpm	1"	41 mm	Twin Hammer	1/2"	8-12 Kg	0.50 m³/min	7.3 Kg	1 Pc.
IW04-Y19	4500 N.m.	4200 rpm	1"	50 mm	Pinless Hammer	1/2"	8-12 Kg	1.05 m³/min	19.8 Kg	1 Pc.
TU90-D	5000 N.m.	2700 rpm	1"	55 mm	Pinless Hammer	1/2"	8-12 Kg	1.24 m³/min	20.1 Kg	1 Pc.
TU80-D	5200 N.m.	3000 rpm	1"	55 mm	Pinless Hammer	1/2"	8-12 Kg	1.24 m³/min	21.5 Kg	1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



IW 04-L



IW 04



IW 04-T



IW 04-T PLUS



IW 04-H




IW 04-S



18.6 KG
IWT-01
Impact Wrench Trolley



ES-01



ES-02

Model No.	Max. Torque	Free Speed	Size	Bolt Capacity	Mechanism	Air Inlet	Air Pressure	Air Consumption	Weight	Std. Packing
IW04-L	2180 N.m.	4200 rpm	1"	41 mm	Pinless Hammer	1/2"	8-12 Kg	0.70 m³/min	17.5 Kg	1 Pc.
IW04	2980 N.m.	3800 rpm	1"	39 mm	Pinless Hammer	1/2"	8-12 Kg	0.70 m³/min	20.2 Kg	1 Pc.
IW04-T	3200 N.m.	3800 rpm	1"	39 mm	Pinless Hammer	1/2"	8-12 Kg	0.70 m³/min	17.0 Kg	1 Pc.
IW04-T PLUS	3200 N.m.	3200 rpm	1"	39 mm	Pinless Hammer	1/2"	8-12 Kg	0.71 m³/min	20.5 Kg	1 Pc.
IW04-H	3800 N.m.	3300 rpm	1"	50 mm	Pinless Hammer	1/2"	8-12 Kg	0.78 m³/min	19.0 Kg	1 Pc.
IW04-S	2980 N.m.	3800 rpm	1"	48 mm	Pinless Hammer	1/2"	8-12 Kg	0.71 m³/min	15.6 Kg	1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

Oil : 20W-40

All Spare Parts Available



WF 1550-02



WF 1200-02



WF 2000-03



WF 2500-04P



WF 3000-04



WF 3500-04



WF 5000-04



WF 5500-04



WF 5500-04C

Model No.	Max. Torque	Free Speed	Size	Bolt Capacity	Mechanism	Air Inlet	Air Pressure	Air Consumption	Weight	Std. Packing
WF 1550-02	1550 N.m.	8500 rpm	1/2"	20 mm	Twin Hammer	1/4"	6-8 Kg	0.64 m³/min	2.3 Kg	5 Pcs.
WF 1200-02	1200 N.m.	8500 rpm	1/2"	20 mm	Twin Hammer	1/4"	6-8 Kg	0.48 m³/min	2.8 Kg	5 Pcs.
WF 2000-03	2000 N.m.	6000 rpm	3/4"	22 mm	Twin Hammer	3/8"	6-10 Kg	0.66 m³/min	4.5 Kg	2 Pcs.
WF 2500-04P	2500 N.m.	4300 rpm	1"	30 mm	Twin Hammer	3/8"	8-12 Kg	0.66 m³/min	5.8 Kg	2 Pcs.
WF 3000-04	3000 N.m.	3900 rpm	1"	36 mm	Pinless Hammer	1/2"	8-12 Kg	1.098 m³/min	13.2 Kg	1 Pc.
WF 3500-04	3500 N.m.	3200 rpm	1"	39 mm	Pinless Hammer	1/2"	8-12 Kg	1.098 m³/min	13.7 Kg	1 Pc.
WF 5000-04	5000 N.m.	2800 rpm	1"	45 mm	Pinless Hammer	1/2"	8-12 Kg	1.05 m³/min	17.7 Kg	1 Pc.
WF 5500-04	5500 N.m.	2800 rpm	1"	56 mm	Pinless Hammer	1/2"	8-12 Kg	1.05 m³/min	19.1 Kg	1 Pc.
WF 5500-04C	5500 N.m.	2800 rpm	1"	56 mm	Pinless Hammer	1/2"	8-12 Kg	1.05 m³/min	16.8 Kg	1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



BW 600-02
Impact Wrench



BW 1000-02
Impact Wrench



BW 1200-02
Impact Wrench



BW 2000-03
Impact Wrench



AB-01
Air Blower



SDI-01
Screw + Impact



ID-10
Impact Drill



10 Cell Battery
BT-4AH
Battery



CH-2A
Charger





Model No.	Max. Torque	Free Speed	Size	Mechanism	Voltage	Weight	Std. Packing
BW-600-02	650 N.m.	2400 rpm	1/2"	Brushless	21V	3.9 Kg	4 Pcs.
BW-1000-02	1000 N.m.	2400 rpm	1/2"	Brushless	21V	4.8 Kg	4 Pcs.
BW-1200-02	1200 N.m.	1800 rpm	1/2"	Brushless	21V	5.0 Kg	4 Pcs.
BW-2000-03	2000 N.m.	1900 rpm	3/4"	Brushless	21V	5.3 Kg	2 Pcs.
AB-01	3800 N.m.	48000 rpm	-	Brushless	21V	3.6 Kg	4 Pcs.
SDI-01	2980 N.m.	3800 rpm	1/2"	Brushless	21V	4.5 Kg	4 Pcs.
ID-10	7200 N.m.	2800 rpm	10 mm	Brushless	21V	4.8 Kg	4 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



24mm to 41mm 90 mm Length



6 Point STD Impact Socket CRMO

1" Square Drive 6 Point Sockets

Size (mm)	24	27	28	30	32	33
Price-						

6 Point STD Impact Socket

1" Square Drive 6 Point Sockets

Size (mm)	24	26	27	28	30	32	33
Price-							
Size (mm)	34	35	36	38	41	45	46
Price-							
Size (mm)	50	55	60	65	70	75	80
Price-							
Size (mm)	85	90	95	100	105	110	
Price-							

Impact Adaptor

Model no.	IA01	IA02	IA03	IA04	IA05	IA06	IA07	IA08
Female	3/8"	1/2"	1/2"	1/2"	3/4"	3/4"	1"	1"
Male	1/2"	3/8"	3/4"	1"	1/2"	1"	1/2"	3/4"
Price-								

Universal Joint

Model no.	UJ-01	UJ-02	UJ-03
Size	1"	3/4"	1/2"
Price-			



SS 01 - 38 MM
(15 Pcs.)

10,12,13,14,15,16,17,
18,19,21,22,24,27,30,32



SS 02 - 78 MM
(16 Pcs.)

9,10,12,13,14,15,16,17,
18,19,21,22,24,27,30,32



SS 03 - 90 MM
(14 Pcs.)

17,19,21,22,24,26,27,
28,30,32,33,34,36,38

We also serve sockets against order if moq is 100 for each size & total value is 1 Lakh Rupees



FP-01



AP-01



AP-02 with Kit




FP Piston



AP SWITCH



AP MOTOR



TL-24, 32, 36
Tyre Lever



GGH-01



GGH-01 KIT

MBV-01- 1/4"F x 1/4"F
MBV-02- 1/4"M x 1/4"F
MBV-03- 3/8"F x 3/8"F
MBV-04- 3/8"M x 3/8"F
MBV-05- 1/2"F x 1/2"F
MBV-06- 1/2"M x 1/2"F



MBV
Mini Ball Valve

EAC-4010-04 1/2"
EAC-2010-02 1/4"
EAF-4000-04 1/2"
EAF-2000-02 1/4"
EAR-4000-04 1/2"
EAR-2000-02 1/4"
EAW-4000-04 1/2"
EAW-2000-02 1/4"



FRL

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



← 1 PHASE

HPP 01-2.2 HP
Copper Winding



← 1 PHASE

HPP 02-4 HP
Copper Winding



← 3 PHASE

HPP 03-7.5 HP
Copper Winding



V2S-01
Copper Winding



V2S-02
Aluminium Winding



V2S-M6



V2S 04



V2S 05



V2S HEAD

Model No.	Motor	Power	Max. Pressure	Voltage	Speed	Flow Rate	Weight
HPP 01	2.2 HP	1650 W	100 bar	220 V	2800 rpm	7 L/min	32 Kg
HPP 02	4 HP	2250 W	150 bar	220 V	1450 rpm	15 L/min	56 Kg
HPP 03	7.5 HP	4100 W	240 bar	380 V	1450 rpm	15 L/min	66.5 Kg
V2S-01	2 HP	1500 W	100 bar	220 V	2800 rpm	7 L/min	12 Kg
V2S-02	2 HP	1500 W	100 bar	220 V	2800 rpm	7 L/min	11.4 Kg
V2S-M6	2 HP	2800 W	250 bar	220 V	2800 rpm	8 L/min	11 Kg
V2S-04	2 HP	1500 W	110 bar	220 V	2800 rpm	9 L/min	14 Kg
V2S-05	2 HP	1500 W	60 bar	220 V	2800 rpm	7.5 L/min	16 Kg

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

Oil : 15W-40

All Spare Parts Available



PW-18 24F



PW-18 28F



PW-20 28F



HPW-24M




HPW-28F



IPW-24M



IPW-28F



Pressure Washer Stand

PWS-01

7 Mtr.
10 Mtr.
15 Mtr.
20 Mtr.



Pin - CPM 03
3/8"x15 mm

Coupler - C 03
3/8"x15 mm

PWH 01,02,03,04

Model No.	Volume	Bar	RPM	Plunger	Stroke	Bore	Weight
PW-18 24F	14 L/m	210	1440	18 mm	13	24 F	8.5 Kg
PW-18 28F	14 L/m	210	1440	18 mm	13	28 F	8.5 Kg
PW-20 28F	18 L/m	210	1440	20 mm	13	28 F	8.5 Kg
HPW-24M	15 L/m	250	1440	18 mm	14	24 M	8.6 Kg
HPW-28F	15 L/m	250	1440	18 mm	14	28 F	8.8 Kg
IPW-24M	15 L/m	300	1440	18 mm	14	24 M	13.2 Kg
IPW-28F	15 L/m	300	1440	18 mm	14	28 F	13.4 Kg

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

Oil : 15W-40

All Spare Parts Available

T N

1/4"x12mm
M14x12mm
3/8"x15mm
M22x15mm



C-01,02,03,04
Coupler

M22x1/2"
M22x3/8"
M22xM22
M22xF14

↑
FEMALE



HU-01,02,03,04
Hose Union



HU-05
Hose Connector

T N

1/4"x12mm
3/8"x12mm
3/8"x15mm
1/2"x15mm
M22x15mm



CPM-01,02,03,04,05
Coupler Pin Male

T N

1/4"x12mm
3/8"x15mm
1/2"x15mm
M22x15mm



CPF-01,02,03,04
Coupler Pin Female

7 Mtr.
10 Mtr.
15 Mtr.
20 Mtr.



22mm Connector
V2S-RH01,02,03,04
Rubber Hose

10 Mtr.
15 Mtr.
20 Mtr.



22mm Connector
HPP 01- RH01,02,03
Rubber Hose

10 Mtr.
15 Mtr.
20 Mtr.



22mm Connector
HPP 02- RH01,02,03
Rubber Hose **(R1)**

10 Mtr.
15 Mtr.
20 Mtr.



22mm Connector
HPP 03- RH01,02,03
Rubber Hose **(R2)**

10 Mtr.
15 Mtr.
20 Mtr.



HH-R1
HYDRAULIC HOSE

10 Mtr.
15 Mtr.
20 Mtr.



HH-R2
HYDRAULIC HOSE

HH R1
HH R2



Without End Fitting
HYDRAULIC HOSE
100 Mtr.



VC-20
Vacuum Cleaner



VC-35
Vacuum Cleaner



3 Motor
VC-80
Vacuum Cleaner



VM-1500
Copper



AT-5059
Air Ratchet Wrench



AT-5004 SG
Impact Wrench Kit



PC-01
Pneumatic Chisel



MCM-01
Mini Chemfring Machine



AT-282
4" Air Angle Grinder



PPM-01
Polish Machine

POWER



6" Mini Air Die Grinder
AT-7032 B

POWER



6" Mini Air Die Grinder
AT-7032 BK

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available



AC-08 DC
Oil Free Compressor



AC-30DC | AC-50DC
Oil Free Compressor



AC-30C | AC-50C



4 Pole



AC-30 OF
Oil Free Compressor



4 Pole



AC-50 OF
Oil Free Compressor



4 Pole



AC-30 DR
Oil Free Compressor



PC-30 | PC-50



AC-100 LT



AC-150 LT

Model No.	HP	Speed	Air Flow	Motor Material	Max. Pressure	Tank Volume	Weight (N.W)	Std. Packing
AC-08 DC	1.2	2800 rpm	65 L/min	Aluminium	8 bar	8 Ltr.	13 kg	1 Pc.
AC-30 DC	1.5	2800 rpm	75 L/min	Aluminium	8 bar	30 Ltr.	18 kg	1 Pc.
AC-50 DC	2	2800 rpm	95 L/min	Aluminium	8 bar	50 Ltr.	25 kg	1 Pc.
AC-30 C	2	2850 rpm	200 L/min	Copper	8 bar	30 Ltr.	22 kg	1 Pc.
AC-50 C	2	2850 rpm	200 L/min	Copper	8 bar	50 Ltr.	32 kg	1 Pc.
AC-30 OF	1	1440 rpm	135 L/min	Copper	8 bar	30 Ltr.	31 kg	1 Pc.
AC-50 OF	2	1440 rpm	2*135 L/min	Copper	8 bar	50 Ltr.	42 kg	1 Pc.
AC-30 DR	1	1440 rpm	135 L/min	Copper	8 bar	30 Ltr.	31 kg	1 Pc.
PC-30 / PC-50	2	2850 rpm	138 L/min	Aluminium	8 bar	30, 50 Ltr.	20, 29 kg	1 Pc.
AC-100LT	2	1050 rpm	170 L/min	Copper	8 bar	100 Ltr.	64 kg	1 Pc.
AC-150LT	3	1050 rpm	250 L/min	Copper	8 bar	150 Ltr.	84 kg	1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

Oil : 15W-40

All Spare Parts Available




KB-1 / KB-4



ACS-15 / 15V

550W
750W



OFH



Oil Free
Oil

NRV



550W
750W

CYLINDER



550W
750W

PISTON CAP



OFC
SOLENOID VALVE



4V 210-08
SOLENOID VALVE



DV-01
DRAIN VALVE



NRV - 3/4"



METAL FILTER



REGULATOR - T

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



Portable Screw Air Compressor

- Range Availability 7.5 HP, 10 HP, 15 HP
- Intelligent Touch Screen VFD
- High efficiency PM Motor - 4 SKF
- Protection Grade - IP23

Portable Screw Air Compressor with Dryer

- Range Availability 10 HP & 20 HP (8-16 bar)
- Intelligent Touch Screen VFD
- High efficiency PM Motor - 4 SKF
- Protection Grade - IP23
- Dryer with 3 Line Filters



Two & Single Stage Screw Air Compressor

- Energy efficiency - upto 97%. (IE 5)
- INOVANCE Brand VFD, easy to operate.
- High efficiency PM Motor - 8 SKF
- Protection Grade- IP65 Two Stage | IP55 Single Stage
- Male Female Rotor Ratio - 5:6

- Two Stage Range Availability 30HP, 50HP, 75HP, 100HP
- Single Stage Range Availability 15HP, 20HP, 30HP, 50HP, 60HP, 75HP, 100HP



6th Gen. Air Dryer with Heat Exchanger



Precision Line Filter (upto 16 Bar)



Air Filters



Oil Filters



Oil Separator



Spare Parts

Prices Available Against Queries

painter

ΕΛΕΦΑΝΤ



Scan the QR Code
to download PDF

TERMS & CONDITION

Discounts	As applicable
Taxes	Extra as applicable
Freight	Extra as applicable
Insurance	Extra as applicable

This Cancels All Our Previous Price List